COMSOL® Software - Release Highlights History

Geometry and Mesh	4.X	5.0	5.1	5.2	5.3
Virtual geometry operations	√	√	√	√	1
Image import	√	√	√	√	1
STL export	√	√	√	√	1
NASTRAN® program mesh export	√	√	√	√	/
Loft, fillet, chamfer, thickening and midsurfacing with the Design Module		1	1	1	1
New tetrahedral mesher				√	1
Element quality optimizer				1	1
Performance improvements for large models by a factor of 5 or more					1
Automatic removal of geometric detail for more flexible meshing					1
Automatic pyramid transitions from hex to tet elements					1
Parametric models with user-defined functions					
Modeling Tools	4.X	5.0	5.1	5.2	5.3
Coordinate-based selections	1	1	√	1	1
Automatic curvilinear coordinate systems	1	1	√	1	/
New COMSOL Desktop® environment	1	1	√	1	1
Material sweeps		1	√	√	1
Open and inspect MPH files without add-on licenses			√	√	1
Autocomplete for parameters, variables, and equations				√	_
Model methods for programming Model Builder tasks					1
PDE modeling with the boundary element method (BEM)					_
Copy-paste physics interfaces or model components					1
Model methods in the model tree with input arguments					1
Studies and Solvers	4.X	5.0	5.1	5.2	5.3
Time-dependent adaptive meshing	√	√	√	√	1
Automatic remeshing	√	1	√	√	1
Cluster sweeps and cloud computing	√	1	√	√	_
Multi-parameter sweeps	√	√	√	√	
Smoothed AMG solver				√	1
Optimized domain decomposition solver				√	
Model reduction based on modal analysis and asymptotic waveform evaluation (AWE)					
Algebraic multigrid (AMG) solver for CFD					
Combine two solutions into one					
Direct and iterative solver suggestions					

^{*4.}X includes 4.2, 4.2a, 4.3, 4.3a, 4.3b, and 4.4 versions.

 $^{^{*}5.3}$ includes 5.3 and 5.3a versions.





 $^{^{*}5.0}$ includes 5.0 and 5.0.1 versions.

^{*5.2} includes 5.2 and 5.2a versions.

Results and Visualization	4.X	5.0	5.1	5.2	5.3
Report Generator	√	√	√	√	√
Interactive slice and isosurface plots	✓	√	√	√	√
Reports on Microsoft® Word program format	✓	√	√	√	√
2D and 3D annotations				√	√
1D annotations				√	√
Annotations with LaTeX formatting				√	√
VTK format export				√	√
6 new color tables				1	√
Selections for plotting a subset of the geometry					√
1D plots with two different quantities on y-axes					√
Step between solutions using toolbar buttons					√
3Dconnexion® SpaceMouse® device support					√
Cividis color table, for people with color vision deficiency					√
Save plots in models for faster rendering					√
Export animations in the WebM video format					√
Application Builder	4.X	5.0	5.1	5.2	5.3
Application Builder for converting models to apps		√	√	√	√
Send e-mail from applications			√	1	√
60 example applications in the Application Libraries				√	√
Interactive data picking in graphics					√

See page 9 for more details

COMSOL Server™ product	4.X	5.0	5.1	5.2	5.3
NEW Product: COMSOL Server™		√	√	√	√
Run apps with COMSOL Client for Windows® operating system or web browsers		√	√	√	√
Allow coworkers and customers worldwide to run COMSOL applications		√	√	√	√
Custom COMSOL Server™ themes for branding				√	√
Centralized cluster settings					√
Usage log text file					√
Automatic login to COMSOL Server™					√

See page 13 for more details

ELECTROMAGNETICS	4.X	5.0	5.1	5.2	5.3
Lumped ports and R,L,C,S parameter matrices	√	√	√	√	\checkmark
Multiphysics interface for electrostatic-structural interactions	√	√	√	√	\checkmark
Multiphysics interface for piezoresistivity	√	√	√	√	\checkmark
Inductively coupled and microwave plasmas	√	√	√	\checkmark	\checkmark
NEW Product: Wave Optics Module	✓	√	√	√	\checkmark

ELECTROMAGNETICS	4.X	5.0	5.1	5.2	5.3
NEW Product: Semiconductor Module	√	\checkmark	√	√	1
Nonlinear magnetic material library 165 materials	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Multiphysics interface for laser heating	√	\checkmark	\checkmark	√	1
Multiphysics interface for optoelectronics		√	√	\checkmark	1
NEW Product: Ray Optics Module		√	√	√	√
Coil analysis tools			√	\checkmark	1
Optical materials database with over 1400 materials			√	√	√
Multiphysics interface for ray heating			√	√	1
User-defined materials written in C				√	√
Smith plots				\checkmark	\checkmark
Magnetic vector hysteresis material model				√	1
Optical aberration plots				\checkmark	\checkmark
Electrostatics based on the boundary element method (BEM)					√
Accelerated computation of capacitance matrix and other lumped matrices					\checkmark
Part library with waveguides, surface-mount footprints, and SMA connectors					√
Photometric data file import for ray optics					√
Schrödinger equation interfaces					√
Revolutionary new method for capacitively coupled plasma (CCP) simulations					√
$\label{thm:magnetic field analysis} \label{thm:magnetic field analysis} Hybrid \ boundary-element-finite-element \ method \ (BEM-FEM) \ for \ magnetic \ field \ analysis$					√
Soft magnet material model of permanent magnets					√
Adaptive frequency sweep for high-frequency electromagnetics					V
Library of more than 60 RF and microwave substrate materials from Rogers Corporation					V

See page 14 for more details

HEAT TRANSFER	4.X	5.0	5.1	5.2	5.3
Multilayered shells	√	√	√	√	√
Fans and grilles	√	√	√	√	√
Solar irradiation	√	√	√	√	✓
Moist air and condensation	√	√	√	√	√
Multi-wavelength radiation	√	√	√	√	✓
Phase change	√	√	√	√	√
Thermal contact with surface roughness	√	√	√	√	√
Multiphysics interface for the thermoelectric effect	√	√	√	√	√
Bioheating with damage integral analysis	√	√	√	√	✓
Non-isothermal flow in porous media			√	√	√
Algebraic turbulence models			√	√	✓
Multiphysics interface for the Marangoni effect			√	√	✓
Meteorological database for ambient conditions				√	√

HEAT TRANSFER	4.X	5.0	5.1	5.2	5.3
Multiphysics interface for heat and moisture transport				√	√
Surface-to-surface radiation symmetry for perpendicular planes					√
Irreversible transformations in solids					√
New Moisture Flow multiphysics coupling					√
New inflow boundary condition based on known upstream conditions					√
Beer-Lambert law for absorption of light in weakly absorbing media					√

See page 17 for more details

STRUCTURAL MECHANICS	4.X	5.0	5.1	5.2	5.3
Prestressed analysis	√	√	1	√	√
Thin-film damping for MEMS	√	√	1	√	\checkmark
NEW Product: Geomechanics Module	√	√	1	√	1
Multiphysics interface for MEMS thermoelasticity	√	√	1	√	\checkmark
Load cases	√	√	1	√	\checkmark
Membranes	√	√	√	√	\checkmark
Cyclic and Floquet periodicity	√	√	1	√	1
NEW Product: Nonlinear Structural Materials Module	√	√	1	√	\checkmark
NEW Product: Fatigue Module	√	√	1	√	1
Bolt pretension	√	√	1	√	\checkmark
NEW Product: Multibody Dynamics Module	√	√	1	√	1
Rotordynamic forces	√	√	√	√	\checkmark
Multiphysics interface for hygroscopic swelling		√	√	√	\checkmark
Nonlinear elastic materials		√	√	√	✓
Orthotropic, anisotropic, and hyperelastic membranes		√	√	√	✓
Multiphysics interfaces for multibody dynamics with heat transfer and acoustics		√	√	√	\checkmark
Multiphysics interface for thermoelastic damping in MEMS				√	1
User-defined materials written in C				√	√
Adhesion and decohesion for mechanical contact				√	1
Multiphysics interface for magnetostriction				√	√
New plasticity material models				√	1
Stress linearization evaluation of membrane, bending, and peak stress					√
Automatic suppression of rigid body motion					\checkmark
Computation of safety factors for 12 safety criteria					\checkmark
Frequency-response of mechanical contact models					√
Material models for porous plasticity					✓
Vibration fatigue analysis					√
Rotor bearing system simulator app					1

STRUCTURAL MECHANICS	4.X	5.0	5.1	5.2	5.3
Shape memory alloy (SMA) material models					√
Generalized multiphysics interface for fluid-structure interaction (FSI)					√
Bolt thread contact modeling					√
Solid-beam connection in 3D models					√
Generalized plane strain formulation					√
Cam-Follower condition for multibody dynamics					√
Lumped Mechanical System interface					✓
Ball and roller bearings for rotordynamics simulations					√

See page 18 for more details

ACOUSTICS	4.X	5.0	5.1	5.2	5.3
Multiphysics interface for acoustic-piezo interactions	√	√	√	√	√
Multiphysics interface for acoustic-shell interactions	√	√	√	√	√
Multiphysics interface for poroelastic waves	√	√	√	√	√
Multiphysics interface for thermoviscous acoustic-solid interactions	√	√	√	√	√
Multiphysics interface for pipe acoustics	√	√	√	√	√
Multiphysics interface for membrane-acoustic interactions	√	√	√	√	√
Multiphysics interface for thermoviscous acoustic-shell interactions	√	√	√	√	√
Aeroacoustics with linearized Euler equations	√	√	√	√	√
Ray acoustics		√	√	√	√
Aeroacoustics with linearized Navier-Stokes equations		√	√	√	√
Octave plots				√	√
Discontinuous Galerkin method for ultrasound with background flow				√	√
Directivity plots				√	√
Perfectly matched layers (PMLs) for pressure acoustics in the time domain					√
Beam width calculations for far-field plots					√
Thermoviscous acoustics in the time domain					1
Hybrid BEM-FEM for acoustics and acoustic-structure interactions					√
Impulse response analysis for ray acoustics					√

See page 21 for more details

FLUID FLOW	4.X	5.0	5.1	5.2	5.3
High-Mach number flow	✓	√	√	√	√
NEW Product: Microfluidics Module	√	√	√	√	√
k-omega turbulence model	√	√	√	√	√
Euler-Euler two-phase flow	√	√	√	√	√
Slip-flow	√	√	√	√	√
NEW Product: Pipe Flow Module	√	√	√	√	√
Automatic boundary-layer meshing	√	√	√	√	√
Turbulent mixing and reacting flow	√	√	√	√	√
SST turbulence	✓	√	√	√	√
Thin screens	√	√	√	√	√
NEW Product: Molecular Flow Module	✓	√	√	√	√
Wall surface roughness for turbulent flow	√	√	√	√	√
Anisotropic porous media flow	√	√	√	√	√
NEW Product: Mixer Module	√	√	√	√	√
Algebraic turbulence models		√	√	√	√
Turbulence with grilles and fans		√	√	√	√
Cavitation for thin film flow		√	√	√	√
3D laminar flow to 1D pipe flow connection		√	√	√	√
Coupled porous media and turbulent flow			√	√	√
Three-phase laminar flow				√	√
Easy definition of gravity and buoyancy effects				√	√
v2-f turbulence model					√
Automatic wall treatment for turbulent flow					√
Algebraic multigrid (AMG) solver for CFD					√
Transport of diluted species in porous media and fractures					√
Generalized multiphysics interface for fluid-structure interaction (FSI)					√
Inlet boundary conditions for fully developed turbulent flow					√
Realizable k-ε turbulence model					√
Buoyancy-driven turbulence					√
All turbulence models made available for multiphase flow					√
Rotating machinery interfaces made available for all flow interfaces					√

See page 23 for more details

CHEMICAL	4.X	5.0	5.1	5.2	5.3
Surface reactions	√	√	√	√	√
Reacting flow	√	√	√	√	√
AC impedance spectroscopy	√	√	√	√	√
NEW Product: Electrodeposition Module	√	√	√	√	√
NEW Product: Corrosion Module	√	√	√	√	1
NEW Product: Electrochemistry Module	√	√	√	√	√
Multiscale simulations for packed bed reactors		√	√	√	√
Equilibrium reactions		√	√	√	1
Multiphysics interface for hygroscopic swelling with species transport			√	√	√
Nonspherical catalytic pellet shapes				√	√
Thin insulating sheets for corrosion simulations				√	1
Nernst-Planck-Poisson equations interface					1
Electrophoretic transport interface					√
Primary and secondary current distribution based on the boundary element method (BEM)					√
A built-in thermodynamic properties library					√
Link between Reaction Engineering interface and thermodynamic property packages					√
Electrode reactions on thin electrode surfaces fully immersed in electrolyte					√
New Lithium-Ion Battery Designer app for optimizing batteries for specific applications					1

See page 25 for more details

OPTIMIZATION	4.X	5.0	5.1	5.2	5.3
Parameter optimization	√	√	√	√	√
Design optimization	√	√	√	√	√
Gradient-based and derivative-free optimization study	√	√	√	√	√
Multianalysis optimization		√	√	√	√
New least square fitting method				√	√

See page 26 for more details

PARTICLE TRACING	4.X	5.0	5.1	5.2	5.3
NEW Product: Particle Tracing Module	√	√	√	√	√
Secondary emission	√	√	√	√	√
Particle-particle interactions	√	√	√	√	√
Particle-field and fluid-particle Interactions	√	√	√	√	√
Space-charge limited emission			√	√	√
Particle-matter interactions				√	√
Periodic boundary condition for particle tracing					√
Rotating frames for particle tracing					√
Symmetry boundary condition for particle tracing					√

See page 27 for more details

INTERFACING	4.X	5.0	5.1	5.2	5.3
NEW Product: LiveLink™ for AutoCAD®	√	√	√	√	√
LiveLink [™] for SOLIDWORKS®: one-window interface	√	√	√	√	√
NEW Product: LiveLink™ for PTC® Creo® Parametric™	√	√	√	√	√
NEW Product: LiveLink™ for Excel®	√	√	√	√	√
NEW Product: ECAD Import Module	√	√	√	√	√
NEW Product: LiveLink™ for Solid Edge®	√	√	√	√	√
LiveLink [™] for Inventor®: one-window interface	√	√	√	√	√
NEW Product: LiveLink™ for Revit®	√	√	√	√	√
NEW Product: Design Module	√	√	√	√	√

See page 28 for more details

COMSOL® Software - Release Details History

COMSOL MULTIPHYSICS® PLATFORM AND HARDWARE SUPPORT	4.X	5.0	5.1	5.2	5.3
General Windows®, OS X, and Linux® operating system support	√	√	√	√	√
Run aps on all major web browsers		√	√	√	√
macOS 10.12 Sierra operating system support			√	√	√
Windows® 10 operating system support			√	√	\checkmark
3Dconnexion® SpaceMouse® device support					√
COMSOL MULTIPHYSICS® MESH AND GEOMETRY	4.X	5.0	5.1	5.2	5.3
Virtual geometry operations	√	\checkmark	\checkmark	\checkmark	\checkmark
Parametric surfaces	√	\checkmark	\checkmark	\checkmark	\checkmark
Digital elevation model (DEM) import	√	\checkmark	\checkmark	\checkmark	\checkmark
Image import	√	1	\checkmark	\checkmark	√
Interpolation curves	√	√	\checkmark	√	√
STL export	√	√	√	√	√
3D cross-section work planes	√	√	√	√	√
Automatic curvilinear coordinate systems	√	\checkmark	√	√	√
Boolean operations on surfaces	√	√	√	√	√
2D NASTRAN® program import	√	√	√	√	√
NASTRAN® program mesh export	√	√	√	√	√
Solid operations on imported meshes		√	√	√	√
Loft, fillet, chamfer, thickening, and midsurfacing with the new Design Module		√	√	√	√
Geometry Parts			√	√	√
New tetrahedral mesher				√	√
Mesh Parts				√	√
Element quality optimizer				√	√
STL import with multiple solids				√	√
Performance improvements for large models by a factor of 5 or more					√
Coordinate systems defined by work planes and geometry orientations					√
Combined coordinate systems in physics					√
Automatic removal of geometric detail for more flexible meshing					√
Extrude in two directions					√
Line segment tool					√
2D selections from 3D selections using cross sections					√
Geometry part variants					√
Automatic pyramid transitions from hex to tet elements					√
Mesh size expressions					√
Mesh adaptation integrated with mesh sequence					√
Five new mesh quality measures					√

COMSOL MULTIPHYSICS® MESH AND GEOMETRY	4.X	5.0	5.1	5.2	5.3
Automatic detection of straight and planar edges of imported meshes					\checkmark
Option for switching off mesh rendering					1
Projection coupling operators for all element types					✓
Parametric models with user-defined functions					✓
Automatic removal of thin domains for more flexible meshing					✓
Element size expressions based on physics and materials					√
Selections stored in the COMSOL mesh file format (.mphbin and .mphtxt)					✓
Isolated vertices and edges for mapped meshes					✓
COMSOL MULTIPHYSICS® MODELING TOOLS	4.X	5.0	5.1	5.2	5.3
Coordinate-based selections	√	\checkmark	\checkmark	\checkmark	✓
Boundary PDEs and distributed ODEs	√	\checkmark	\checkmark	\checkmark	\checkmark
New COMSOL Desktop®	√	\checkmark	\checkmark	\checkmark	\checkmark
Multiphysics node in the Model Builder	√	\checkmark	\checkmark	\checkmark	√
Hover-and-click selections	\checkmark	\checkmark	\checkmark	\checkmark	√
Global materials		√	√	√	√
Material sweeps		√	√	√	√
Open and inspect MPH files without add-on licenses			\checkmark	\checkmark	√
Search tool for models and apps			√	√	√
Table sort			\checkmark	\checkmark	√
Save MPH file if license server connection is lost				√	√
Release licenses dynamically				√	√
Autocomplete for parameters, variables, and equations				√	√
Automatic reconnect for client-server				√	√
Optimized save for MPH files				√	√
Multiphysics window for manually combining physics Interfaces				√	√
Generalized 3D interpolation functions				√	√
Cylindrical sector selections					√
Model methods for programming Model Builder tasks					√
Faster save and load of MPH-files					√
PDE modeling with the boundary element method (BEM)					√
Copy-paste physics interfaces or model components					√
Model methods in the model tree with input arguments					√
Generalized moving mesh functionality					√
Variables for matrix operations					√
App for cluster setup validation					√
Counter for the number of selections					√

Time-dependent adaptive meshing Automatic remeshing V V V V V V V V V V V V V V V V V V V	COMSOL MULTIPHYSICS® STUDIES AND SOLVERS	4.X	5.0	5.1	5.2	5.3
Double-dogleg nonlinear solver Cluster Sweep and Batch Sweep √√√√√√√√√√√√√√√√√√√√√√√√√√√√√√√√√√	Time-dependent adaptive meshing	√	√	√	√	
Cluster Sweep and Batch Sweep Multi-parameter sweeps Cloud computing with Amazon EC2** Sensitivity study V V V V Sensitivity study V V V V Sensitivity study V V V V Sensitivity study Sensitivity study V V V V Sensitivity study V V V V Sensitivity study V V V V Sensitivity study Sensitivity study V V V V Sensitivity study Sensitivity study V V V V Sensitivity study Sensitivity study Sensitivity study Sensitivity study Sensitivity study Sensitivity study V V V Sensitivity study Sensitivity study Sensitivity study Sensitivity study V V V Sensitivity study V V V V Sensitivity study Sensitivity study Sensitivity study Sensitivity study V V V V Sensitivity study V V V V Sensitivity study Sensitivity study V V V V Sensitivity study V V V V V Sensitivity study V V V V V Sensitivity study V V V V V V Sensitivity study V V V V V V V Sensitivity study V V V V V V V V V V Sensitivity study V V V V V V V V V V V V V V V V V V V	Automatic remeshing	1	√	√	\checkmark	
Multi-parameter sweeps Cloud computing with Amazon EC2" Sensitivity study CAD assembly multiphysics simulations Eigenfrequency interval search Eigenfrequency interval search Smoothed AMG solver Optimized domain decomposition solver Nonreflecting absorbing layers for time-dependent wave simulations Specify the number of sockets used on a multisocket computer Algebraic multigrid (AMG) solver for CFD Adaptation integrated with meshing sequences and error estimation Fast solver for the boundary element method (BEM) Hybrid solver for finite element and boundary element methods Combine two solutions into one Direct and iterative solver suggestions Model reduction based on modal analysis and asymptotic waveform evaluation (AWE) Parallelized smoothed aggregation algebraic multigrid (SA-AMG) solver Remove selections when combining solutions Compute weighted sums of solutions Auxiliary parameter sweeps for eigenfrequency and eigenvalue studies Starting UI-defined Batch Sweep or Cluster Sweep from a batch command Built-in support for PBS-based schedulers in cluster computing COMSOL MULTIPHYSICS® RESULTS AND VISUALIZATION Report Generator V V V V V V V V V V V V V V V V V V V	Double-dogleg nonlinear solver	1	√	√	√	
Cloud computing with Amazon EC2" Sensitivity study CAD assembly multiphysics simulations Eigenfrequency interval search CAD assembly multiphysics simulations COMPUTED AMAG solver Optimized domain decomposition solver Optimized domain decomposition solver Optimized domain decomposition solver Nonreflecting absorbing layers for time-dependent wave simulations COMPUTED Adaptation integrated with meshing sequences and error estimation Fast solver for the boundary element method (BEM) Hybrid solver for the boundary element methods Combine two solutions into one Direct and iterative solver suggestions Model reduction based on modal analysis and asymptotic waveform evaluation (AWE) Amazolleized smoothed aggregation algebraic multigrid (SA-AMG) solver Remove selections when combining solutions Compute weighted sums of solutions Auxillary parameter sweeps for eigenfrequency and eigenvalue studies Compute weighted sums of solutions Auxillary parameter sweeps for eigenfrequency and eigenvalue studies Starting UI-defined Batch Sweep or Cluster Sweep from a batch command Built-in support for PBS-based schedulers in cluster computing COMSOL MULTIPHYSICS® RESULTS AND VISUALIZATION 4 X 5.0 5.1 5.2 5.3 Report Generator V V V V V V V COMES Land Report Generator V V V V V V V V COMES Land Report of isosurfaces V V V V V V V Feetrum color table Comet tail plots Comet tail plots	Cluster Sweep and Batch Sweep	1	√	√	√	
Sensitivity study CAD assembly multiphysics simulations Eigenfrequency interval search Selections for solution data Smoothed AMG solver Optimized domain decomposition solver Nonereflecting absorbing layers for time-dependent wave simulations Specify the number of sockets used on a multisocket computer Algebraic multigrid (AMG) solver for CFD Adaptation integrated with meshing sequences and error estimation Fast solver for the boundary element method (BEM) Hybrid solver for finite element and boundary element methods Combine two solutions into one Direct and iterative solver suggestions Model reduction based on modal analysis and asymptotic waveform evaluation (AWE) Parallelized smoothed aggregation algebraic multigrid (SA-AMG) solver Remove selections when combining solutions Compute weighted sums of solutions Auxiliary parameter sweeps for eigenfrequency and eigenvalue studies Starting UI-defined Batch Sweep or Cluster Sweep from a batch command Built-in support for PBS-based schedulers in cluster computing COMSOL MULTIPHYSICS* RESULTS AND VISUALIZATION 4.X 5.0 5.1 5.2 5.3 Report Generator Interactive silice and isosurface plots Join data sets V. V	Multi-parameter sweeps	1	√	√	√	\checkmark
CAD assembly multiphysics simulations Eigenfrequency interval search V V V V Selections for solution data Smoothed AMG solver Optimized domain decomposition solver Nonreflecting absorbing layers for time-dependent wave simulations Specify the number of sockets used on a multisocket computer Algebraic multigrid (AMG) solver for CFD Adaptation integrated with meshing sequences and error estimation Fast solver for the boundary element method (BEM) Hybrid solver for finite element and boundary element methods Combine two solutions into one Direct and iterative solver suggestions Model reduction based on modal analysis and asymptotic waveform evaluation (AWE) Parallelized smoothed aggregation algebraic multigrid (SA-AMG) solver Remove selections when combining solutions Compute weighted sums of solutions Auxiliary parameter sweeps for eigenfrequency and eigenvalue studies Starting UI-defined Batch Sweep or Cluster Sweep from a batch command Duilt-in support for PBS-based schedulers in cluster computing COMSOL MULTIPHYSICS® RESULTS AND VISUALIZATION A, X, 5,0 5,1 5,2 5,3 Report Generator V, V	Cloud computing with Amazon EC2™	1	√	√	√	
Eigenfrequency interval search Selections for solution data Smoothed AMG solver Optimized domain decomposition solver Nonreflecting absorbing layers for time-dependent wave simulations Specify the number of sockets used on a multisocket computer Algebraic multigrid (AMG) solver for CFD Adaptation integrated with meshing sequences and error estimation Fast solver for the boundary element method (BEM) Hybrid solver for finite element and boundary element methods Combine two solutions into one Direct and iterative solver suggestions Model reduction based on modal analysis and asymptotic waveform evaluation (AWE) Parallelized smoothed aggregation algebraic multigrid (SA-AMG) solver Remove selections when combining solutions Compute weighted sums of solutions Auxiliary parameter sweeps for eigenfrequency and eigenvalue studies Starting UI-defined Batch Sweep or Cluster Sweep from a batch command Built-in support for PBS-based schedulers in cluster computing COMSOL MULTIPHYSICS* RESULTS AND VISUALIZATION Report Generator V V V V V V V V V V Sepont Compete Situations Reports on Microsoft* Word program format Comet tail plots STL export of isosurfaces V V V V V V V V V V V V V V V V V V V	Sensitivity study	1	√	√	√	\checkmark
Selections for solution data Smoothed AMG solver Optimized domain decomposition solver Nonreflecting absorbing layers for time-dependent wave simulations Specify the number of sockets used on a multisocket computer Algebraic multigrid (AMG) solver for CFD Adaptation integrated with meshing sequences and error estimation Fast solver for the boundary element method (BEM) Hybrid solver for finite element and boundary element methods Combine two solutions into one Direct and iterative solver suggestions Model reduction based on modal analysis and asymptotic waveform evaluation (AWE) Parallelized smoothed aggregation algebraic multigrid (SA-AMG) solver Remove selections when combining solutions Compute weighted sums of solutions Auxiliary parameter sweeps for eigenfrequency and eigenvalue studies Starting UI-defined Batch Sweep or Cluster Sweep from a batch command Built-in support for PBS-based schedulers in cluster computing COMSOL MULTIPHYSICS® RESULTS AND VISUALIZATION Report Generator Interactive slice and isosurface plots Join data sets Join data sets Join data sets STL export of isosurfaces Text-based search for variables in results V J J J	CAD assembly multiphysics simulations		√	√	√	
Smoothed AMG solver Optimized domain decomposition solver Nonreflecting absorbing layers for time-dependent wave simulations Specify the number of sockets used on a multisocket computer Algebraic multigrid (AMG) solver for CFD Adaptation integrated with meshing sequences and error estimation Fast solver for the boundary element method (BEM) Hybrid solver for finite element and boundary element methods Combine two solutions into one Direct and iterative solver suggestions Model reduction based on modal analysis and asymptotic waveform evaluation (AWE) Parallelized smoothed aggregation algebraic multigrid (SA-AMG) solver Remove selections when combining solutions Compute weighted sums of solutions Auxiliary parameter sweeps for eigenfrequency and eigenvalue studies Starting UI-defined Batch Sweep or Cluster Sweep from a batch command Built-in support for PBS-based schedulers in cluster computing COMSOL MULTIPHYSICS® RESULTS AND VISUALIZATION 4.X 5.0 5.1 5.2 5.3 Report Generator Interactive slice and isosurface plots Join data sets V V V V V V Feports on Microsoft® Word program format Comet tail plots STL export of isosurfaces Text-based search for variables in results	Eigenfrequency interval search		√	√	√	\checkmark
Optimized domain decomposition solver Nonreflecting absorbing layers for time-dependent wave simulations Specify the number of sockets used on a multisocket computer Algebraic multigrid (AMG) solver for CFD Adaptation integrated with meshing sequences and error estimation Fast solver for the boundary element method (BEM) Hybrid solver for finite element and boundary element methods Combine two solutions into one Direct and iterative solver suggestions Model reduction based on modal analysis and asymptotic waveform evaluation (AWE) Parallelized smoothed aggregation algebraic multigrid (SA-AMG) solver Remove selections when combining solutions Compute weighted sums of solutions Auxiliary parameter sweeps for eigenfrequency and eigenvalue studies Starting UI-defined Batch Sweep or Cluster Sweep from a batch command Built-in support for PBS-based schedulers in cluster computing COMSOL MULTIPHYSICS® RESULTS AND VISUALIZATION 4.X 5.0 5.1 5.2 5.3 Report Generator Interactive slice and isosurface plots Join data sets Your Joy	Selections for solution data				√	
Nonreflecting absorbing layers for time-dependent wave simulations Specify the number of sockets used on a multisocket computer Algebraic multigrid (AMG) solver for CFD Adaptation integrated with meshing sequences and error estimation Fast solver for the boundary element method (BEM) Hybrid solver for finite element and boundary element methods Combine two solutions into one Direct and iterative solver suggestions Model reduction based on modal analysis and asymptotic waveform evaluation (AWE) Parallelized smoothed aggregation algebraic multigrid (SA-AMG) solver Remove selections when combining solutions Compute weighted sums of solutions Auxiliary parameter sweeps for eigenfrequency and eigenvalue studies Starting UI-defined Batch Sweep or Cluster Sweep from a batch command Built-in support for PBS-based schedulers in cluster computing COMSOL MULTIPHYSICS® RESULTS AND VISUALIZATION 4.X 5.0 5.1 5.2 5.3 Report Generator Interactive slice and isosurface plots Join data sets York York York York York York York York	Smoothed AMG solver				√	\checkmark
Specify the number of sockets used on a multisocket computer Algebraic multigrid (AMG) solver for CFD Adaptation integrated with meshing sequences and error estimation Fast solver for the boundary element method (BEM) Hybrid solver for finite element and boundary element methods Combine two solutions into one Direct and iterative solver suggestions Model reduction based on modal analysis and asymptotic waveform evaluation (AWE) Parallelized smoothed aggregation algebraic multigrid (SA-AMG) solver Remove selections when combining solutions Compute weighted sums of solutions Auxiliary parameter sweeps for eigenfrequency and eigenvalue studies Starting UI-defined Batch Sweep or Cluster Sweep from a batch command Built-in support for PBS-based schedulers in cluster computing COMSOL MULTIPHYSICS® RESULTS AND VISUALIZATION 4.X 5.0 5.1 5.2 5.3 Report Generator V V V V Interactive slice and isosurface plots Join data sets V V V V STL export of isosurfaces Text-based search for variables in results V V V V Spectrum color table	Optimized domain decomposition solver				√	\checkmark
Algebraic multigrid (AMG) solver for CFD Adaptation integrated with meshing sequences and error estimation Fast solver for the boundary element method (BEM) Hybrid solver for finite element and boundary element methods Combine two solutions into one Direct and iterative solver suggestions Model reduction based on modal analysis and asymptotic waveform evaluation (AWE) Parallelized smoothed aggregation algebraic multigrid (SA-AMG) solver Remove selections when combining solutions Compute weighted sums of solutions Auxillary parameter sweeps for eigenfrequency and eigenvalue studies Starting UI-defined Batch Sweep or Cluster Sweep from a batch command Built-in support for PBS-based schedulers in cluster computing COMSOL MULTIPHYSICS® RESULTS AND VISUALIZATION 4.X 5.0 5.1 5.2 5.3 Report Generator V V V V V V V V V V V SID in data sets Reports on Microsoft® Word program format Comet tail plots STL export of isosurfaces Text-based search for variables in results Spectrum color table	Nonreflecting absorbing layers for time-dependent wave simulations				√	\checkmark
Adaptation integrated with meshing sequences and error estimation Fast solver for the boundary element method (BEM) Hybrid solver for finite element and boundary element methods Combine two solutions into one Direct and iterative solver suggestions Model reduction based on modal analysis and asymptotic waveform evaluation (AWE) Parallelized smoothed aggregation algebraic multigrid (SA-AMG) solver Remove selections when combining solutions Compute weighted sums of solutions Auxiliary parameter sweeps for eigenfrequency and eigenvalue studies Starting UI-defined Batch Sweep or Cluster Sweep from a batch command Built-in support for PBS-based schedulers in cluster computing COMSOL MULTIPHYSICS® RESULTS AND VISUALIZATION Report Generator Interactive slice and isosurface plots Join data sets V V V V V Reports on Microsoft® Word program format Comet tail plots STL export of isosurfaces Text-based search for variables in results Spectrum color table	Specify the number of sockets used on a multisocket computer				√	
Fast solver for the boundary element method (BEM) Hybrid solver for finite element and boundary element methods Combine two solutions into one Direct and iterative solver suggestions Model reduction based on modal analysis and asymptotic waveform evaluation (AWE) Parallelized smoothed aggregation algebraic multigrid (SA-AMG) solver Remove selections when combining solutions Compute weighted sums of solutions Auxiliary parameter sweeps for eigenfrequency and eigenvalue studies Starting UI-defined Batch Sweep or Cluster Sweep from a batch command Built-in support for PBS-based schedulers in cluster computing COMSOL MULTIPHYSICS® RESULTS AND VISUALIZATION 4.X 5.0 5.1 5.2 5.3 Report Generator Interactive slice and isosurface plots Join data sets V V V V V Reports on Microsoft® Word program format Comet tail plots STL export of isosurfaces Text-based search for variables in results Spectrum color table	Algebraic multigrid (AMG) solver for CFD					$\overline{\hspace{1cm}}$
Hybrid solver for finite element and boundary element methods Combine two solutions into one Direct and iterative solver suggestions Model reduction based on modal analysis and asymptotic waveform evaluation (AWE) Parallelized smoothed aggregation algebraic multigrid (SA-AMG) solver Remove selections when combining solutions Compute weighted sums of solutions Auxiliary parameter sweeps for eigenfrequency and eigenvalue studies Starting UI-defined Batch Sweep or Cluster Sweep from a batch command Built-in support for PBS-based schedulers in cluster computing COMSOL MULTIPHYSICS* RESULTS AND VISUALIZATION Report Generator Interactive slice and isosurface plots Join data sets Reports on Microsoft* Word program format Comet tail plots STL export of isosurfaces Text-based search for variables in results Spectrum color table	Adaptation integrated with meshing sequences and error estimation					
Combine two solutions into one Direct and iterative solver suggestions Model reduction based on modal analysis and asymptotic waveform evaluation (AWE) Parallelized smoothed aggregation algebraic multigrid (SA-AMG) solver Remove selections when combining solutions Compute weighted sums of solutions Auxiliary parameter sweeps for eigenfrequency and eigenvalue studies Starting UI-defined Batch Sweep or Cluster Sweep from a batch command Built-in support for PBS-based schedulers in cluster computing COMSOL MULTIPHYSICS® RESULTS AND VISUALIZATION Report Generator Interactive slice and isosurface plots Join data sets Reports on Microsoft® Word program format Comet tail plots STL export of isosurfaces Text-based search for variables in results Spectrum color table	Fast solver for the boundary element method (BEM)					
Direct and iterative solver suggestions Model reduction based on modal analysis and asymptotic waveform evaluation (AWE) Parallelized smoothed aggregation algebraic multigrid (SA-AMG) solver Remove selections when combining solutions Compute weighted sums of solutions Auxiliary parameter sweeps for eigenfrequency and eigenvalue studies Starting UI-defined Batch Sweep or Cluster Sweep from a batch command Built-in support for PBS-based schedulers in cluster computing COMSOL MULTIPHYSICS® RESULTS AND VISUALIZATION Report Generator Interactive slice and isosurface plots Join data sets Reports on Microsoft® Word program format Comet tail plots STL export of isosurfaces Text-based search for variables in results Spectrum color table	Hybrid solver for finite element and boundary element methods					
Model reduction based on modal analysis and asymptotic waveform evaluation (AWE) ✓ Parallelized smoothed aggregation algebraic multigrid (SA-AMG) solver ✓ Remove selections when combining solutions ✓ Compute weighted sums of solutions ✓ Auxiliary parameter sweeps for eigenfrequency and eigenvalue studies ✓ Starting UI-defined Batch Sweep or Cluster Sweep from a batch command ✓ Built-in support for PBS-based schedulers in cluster computing ✓ COMSOL MULTIPHYSICS® RESULTS AND VISUALIZATION 4.X 5.0 5.1 5.2 5.3 Report Generator ✓ ✓ ✓ ✓ ✓ Interactive slice and isosurface plots ✓ ✓ ✓ ✓ Join data sets ✓ ✓ ✓ ✓ ✓ Reports on Microsoft® Word program format ✓ ✓ ✓ ✓ ✓ Comet tail plots ✓ ✓ ✓ ✓ ✓ ✓ STL export of isosurfaces ✓ ✓ ✓ ✓ ✓ ✓ ✓ Text-based search for variables in results ✓ ✓ ✓ ✓ ✓ ✓ </td <td>Combine two solutions into one</td> <td></td> <td></td> <td></td> <td></td> <td></td>	Combine two solutions into one					
Parallelized smoothed aggregation algebraic multigrid (SA-AMG) solver Remove selections when combining solutions Compute weighted sums of solutions Auxiliary parameter sweeps for eigenfrequency and eigenvalue studies Starting UI-defined Batch Sweep or Cluster Sweep from a batch command Built-in support for PBS-based schedulers in cluster computing COMSOL MULTIPHYSICS® RESULTS AND VISUALIZATION Report Generator Interactive slice and isosurface plots Join data sets Reports on Microsoft® Word program format Comet tail plots STL export of isosurfaces Text-based search for variables in results Spectrum color table	Direct and iterative solver suggestions					
Remove selections when combining solutions Compute weighted sums of solutions Auxiliary parameter sweeps for eigenfrequency and eigenvalue studies Starting UI-defined Batch Sweep or Cluster Sweep from a batch command Built-in support for PBS-based schedulers in cluster computing COMSOL MULTIPHYSICS® RESULTS AND VISUALIZATION Report Generator Interactive slice and isosurface plots Join data sets Reports on Microsoft® Word program format Comet tail plots STL export of isosurfaces Text-based search for variables in results Spectrum color table	Model reduction based on modal analysis and asymptotic waveform evaluation (AWE)					
Compute weighted sums of solutions Auxiliary parameter sweeps for eigenfrequency and eigenvalue studies Starting UI-defined Batch Sweep or Cluster Sweep from a batch command Built-in support for PBS-based schedulers in cluster computing COMSOL MULTIPHYSICS® RESULTS AND VISUALIZATION Report Generator Interactive slice and isosurface plots Join data sets Reports on Microsoft® Word program format Comet tail plots STL export of isosurfaces Text-based search for variables in results Spectrum color table	Parallelized smoothed aggregation algebraic multigrid (SA-AMG) solver					\checkmark
Auxiliary parameter sweeps for eigenfrequency and eigenvalue studies Starting UI-defined Batch Sweep or Cluster Sweep from a batch command Built-in support for PBS-based schedulers in cluster computing COMSOL MULTIPHYSICS® RESULTS AND VISUALIZATION Report Generator Interactive slice and isosurface plots V V V V V Interactive slice and isosurface plots Reports on Microsoft® Word program format Comet tail plots STL export of isosurfaces Text-based search for variables in results Spectrum color table	Remove selections when combining solutions					
Starting UI-defined Batch Sweep or Cluster Sweep from a batch command Built-in support for PBS-based schedulers in cluster computing COMSOL MULTIPHYSICS® RESULTS AND VISUALIZATION Report Generator Interactive slice and isosurface plots Join data sets Reports on Microsoft® Word program format Comet tail plots STL export of isosurfaces Text-based search for variables in results Spectrum color table	Compute weighted sums of solutions					
Built-in support for PBS-based schedulers in cluster computing COMSOL MULTIPHYSICS® RESULTS AND VISUALIZATION Report Generator Interactive slice and isosurface plots Join data sets Reports on Microsoft® Word program format Comet tail plots STL export of isosurfaces Text-based search for variables in results Spectrum color table	Auxiliary parameter sweeps for eigenfrequency and eigenvalue studies					
COMSOL MULTIPHYSICS® RESULTS AND VISUALIZATION Report Generator Interactive slice and isosurface plots Join data sets Reports on Microsoft® Word program format Comet tail plots STL export of isosurfaces Text-based search for variables in results Spectrum color table	Starting UI-defined Batch Sweep or Cluster Sweep from a batch command					
Report Generator Interactive slice and isosurface plots Join data sets Reports on Microsoft® Word program format Comet tail plots STL export of isosurfaces Text-based search for variables in results Spectrum color table	Built-in support for PBS-based schedulers in cluster computing					√
Report Generator Interactive slice and isosurface plots Join data sets Reports on Microsoft® Word program format Comet tail plots STL export of isosurfaces Text-based search for variables in results Spectrum color table						
Interactive slice and isosurface plots Join data sets Reports on Microsoft® Word program format Comet tail plots STL export of isosurfaces Text-based search for variables in results Spectrum color table	COMSOL MULTIPHYSICS® RESULTS AND VISUALIZATION	4.X	5.0	5.1	5.2	5.3
Join data sets ✓	Report Generator	√	√	√	√	√
Reports on Microsoft® Word program format Comet tail plots STL export of isosurfaces Text-based search for variables in results Spectrum color table	Interactive slice and isosurface plots	1	√	√	√	√
Comet tail plots STL export of isosurfaces Text-based search for variables in results Spectrum color table	Join data sets	1	√	√	√	\checkmark
STL export of isosurfaces Text-based search for variables in results Spectrum color table Text-based search for variables in results	Reports on Microsoft® Word program format	1	√	√	\checkmark	
Text-based search for variables in results Spectrum color table V V V V V V V V V V V V V V V V V V	Comet tail plots	1	√	√	_	√
Spectrum color table ✓ ✓ ✓ ✓	STL export of isosurfaces	1	√	√	√	√
	Text-based search for variables in results	1	√	√	√	√
Contour tube plot	Spectrum color table		√	√	√	√
	Contour tube plot		√	√	_	

Visualize on grid outside computational mesh Vi Vi Vi Point trajectories plot Array visualization for periodic solutions 2 Dand 3D annotations 1D annotati	COMSOL MULTIPHYSICS® RESULTS AND VISUALIZATION	4.X	5.0	5.1	5.2	5.3
Array visualization for periodic solutions D and 3D annotations D annotations Annotations with LaTeX formatting VY VY Annotations with LaTeX formatting VY VY Tormat export 6 new color tables Multiple expressions in Derived Values Results parameters Global expressions for Slice, Arrow, and Cut Plane positions Selections for plotting a subset of the geometry 1D plots with two different quantities on y-axes Step between solutions using toolbar buttons Streamline surface plot Units shown in geometry plots and color legends Option for switching off mesh rendering Preview evaluation plane for far-field and directivity plots Cividis color table, for people with color vision deficiency Save plots in models for faster rendering Preview control of center of rotation Rotating the camera about the X-Y-, and Z-axes Filters on 1D plots Hardware-accelerated image generation for image export Convert model to app Convert model to app Convert model to app Convert model for periodic and please of the security of the security of the periodic for periodic for format builder Convert model to app Convert model to app Convert model for periodic form methods Go example applications in Application Libraries Send e-mail from applications in Application Libraries Uniform of the form of the process of the periodic form methods Go example applications in Application Libraries Uniform of the form of the periodic form methods Go example applications in Application Libraries Uniform of the form of the periodic form methods Go example applications in Application Libraries Uniform of the form of the periodic form methods Go example applications in Application Libraries Uniform of the form of the periodic form methods Go example applications in Application Libraries Uniform of the periodic form of the periodic form methods Go example applications in Application Libraries Uniform of the periodic form of the periodic form methods Go example applications in Application Libraries Uniform of the periodic	Visualize on grid outside computational mesh			√	√	\checkmark
2D and 3D annotations 1D annotations Annotations with LaTeX formatting VTK format export NUK format export Nulltiple expressions in Derived Values Results parameters Results parameters Nulltiple expressions for Sitec, Arrow, and Cut Plane positions Selections for plotting a subset of the geometry Dip lots with two different quantities on y-axes Step between solutions using toolbar buttons Streamline surface plot Units shown in geometry plots and color legends Option for switching off mesh rendering Preview evaluation plane for far-field and directivity plots Cividis color table, for people with color vision deficiency Save plots in models for faster rendering Export animations in the WebM video format Interactive control of center of rotation Rotating the camera about the X-, Y-, and Z-axes Filters on 1D plots Hardware-accelerated image generation for image export COMSOL MULTIPHYSICS* APPLICATION BULLDER Application Builder CONSOL MULTIPHYSICS* APPLICATION BULLDER Save glading disabiling of form objects from methods Send e-mail from applications Support for apps using LiveLink** for Excel* Enabling disabiling of from objects from methods Option for proposic supplication Libraries Send e-mail from application in Application Libraries Send occurrent applications in Application Libraries Send occurrent applications in Application Libraries Support for apps using LiveLink** for Excel* Dynamic graphics updates Modifying the user interface at run time	Point trajectories plot			√	√	√
ID annotations Annotations with LaTeX formatting V V V VTK format export 6 new color tables Multiple expressions in Derived Values Results parameters Global expressions for Slice, Arrow, and Cut Plane positions Selections for plotting a subset of the geometry ID plots with two different quantities on y-axes Step between solutions using toolbar buttons Streamline surface plot Units shown in geometry plots and color legends Option for switching off mesh rendering Preview evaluation plane for far-field and directivity plots Cividis color table, for people with color vision deficiency Save plots in models for faster rendering Export animations in the WebM video format Interactive control of center of rotation Rotating the camera about the X, Y, and Z-axes Filters on ID plots Hardware-accelerated image generation for image export COMSOL MULTIPHYSICS* APPLICATION BUILDER Application Builder CONVENT model to app 20 example applications in Application Libraries Send e-mail from application is Application Libraries Send e-mail from application is Application Libraries Global export and response interface at run time V V V V V V V V V V V V V V V V V V V	Array visualization for periodic solutions			√	√	√
Annotations with LaTeX formatting VTK format export 6 new color tables Multiple expressions in Derived Values Results parameters Global expressions for Slice, Arrow, and Cut Plane positions Selections for plotting a subset of the geometry 1D plots with two different quantities on y-axes Selections for plotting a subset of the geometry 1D plots with two different quantities on y-axes Steep between solutions using toolbar buttons Streamline surface plot Units shown in geometry plots and color legends Option for switching off meah rendering Preview evaluation plane for far-field and directivity plots Cividis color table, for people with color vision deficiency Save plots in models for faster rendering Export animations in the WebM video format Interactive control of center of rotation Rotating the camera about the X, Y, and Z-axes Filters on 1D plots Plot First and Plot Last buttons Hardware-accelerated image generation for image export COMSOL MULTIPHYSICS* APPLICATION BUILDER Application Builder Convert model to app Qoexample applications in Application Libraries Send e-mail from application Support for apps using LiveLink* More Excel* Enabling disabling of form objects from methods Qoexample application in Application Libraries Editor Tools Dynamic graphics updates Modifying the user interface at run time	2D and 3D annotations				√	√
VTK format export 6 new color tables Wultiple expressions in Derived Values Results parameters Global expressions for Slice, Arrow, and Cut Plane positions Selections for plotting a subset of the geometry 1D plots with two different quantities on y-axes Steep between solutions using toolbar buttons Streamline surface plot Units shown in geometry plots and color legends Option for switching off mesh rendering Preview evaluation plane for far-field and directivity plots Cividis color table, for people with color vision deficiency Save plots in models for faster rendering Export animations in the WebM video format Interactive control of center of rotation Stotating the camera about the X-, Y-, and Z-axes Filters on 1D plots Plot First and Plot Last buttons Hardware-accelerated image generation for image export COMSOL MULTIPHYSICS® APPLICATION BUILDER Application Builder Convert model to app Qo example applications in Application Libraries Send e-mail from application in Application Libraries Editor Tools Dynamic graphics updates Modifying the user interface at run time	1D annotations				√	√
6 new color tables Multiple expressions in Derived Values Results parameters Global expressions for Slice, Arrow, and Cut Plane positions Selections for plotting a subset of the geometry Jo plots with two different quantities on y-axes Step between solutions using toolbar buttons Streamline surface plot Units shown in geometry plots and color legends Option for switching off mesh rendering Preview evaluation plane for far-field and directivity plots Cividis color table, for people with color vision deficiency Save plots in models for faster rendering Export animations in the WebM wideo format Interactive control of center of rotation Rotating the camera about the X., Y., and Z-axes Filters on 1D plots Hardware-accelerated image generation for image export COMSOL MULTIPHYSICS* APPLICATION BUILDER Application Builder Convert model to app 20 example applications in Application Libraries Support for apps using LiveLink'* for Excel* Enabling disabling of form objects from methods 60 example applications in Application Libraries Editor Tools Dynamic graphics updates Modifying the user interface at runtime	Annotations with LaTeX formatting				√	√
Multiple expressions in Derived Values Results parameters Clobal expressions for Slice, Arrow, and Cut Plane positions Selections for plotting a subset of the geometry 1D plots with two different quantities on y-axes Step between solutions using toolbar buttons Streamline surface plot Units shown in geometry plots and color legends Option for switching off mesh rendering Preview evaluation plane for far-field and directivity plots Cividis color table, for people with color vision deficiency Save plots in models for faster rendering Export animations in the WebM video format Interactive control of center of rotation Rotating the camera about the X-, Y-, and Z-axes Filters on 1D plots Plot First and Plot Last buttons Hardware-accelerated image generation for image export COMSOL MULTIPHYSICS® APPLICATION BUILDER 4.X 5.0 5.1 5.2 5.3 Application Builder Convert model to app 20 example applications in Application Libraries Send e-mail from applications Support for apps using LiveLink® for Excel® Enabling disabling of form objects from methods 60 example applications in Application Libraries Editor Tools Modifying the user interface at runtime	VTK format export				√	√
Results parameters Global expressions for Slice, Arrow, and Cut Plane positions Selections for plotting a subset of the geometry 1D plots with two different quantities on y-axes Step between solutions using toolbar buttons Streamline surface plot Units shown in geometry plots and color legends Option for switching off mesh rendering Preview evaluation plane for far-field and directivity plots Cividis color table, for people with color vision deficiency Save plots in models for faster rendering Export animations in the WebM video format Interactive control of center of rotation Rotating the camera about the X-, Y-, and Z-axes Filters on 1D plots Plot First and Plot Last buttons Hardware-accelerated image generation for image export COMSOL MULTIPHYSICS® APPLICATION BUILDER 4.X 5.0 5.1 5.2 5.3 Application Builder Convert model to app 20 example applications in Application Libraries Send e-mail from applications Support for apps using Livelink™ (or Excel® Enabling disabling of form objects from methods 60 example applications in Application Libraries Editor Tools Modifying the user interface at runtime	6 new color tables				√	√
Global expressions for Slice, Arrow, and Cut Plane positions Selections for plotting a subset of the geometry 1D plots with two different quantities on y-axes Step between solutions using toolbar buttons Streamline surface plot Units shown in geometry plots and color legends Option for switching off mesh rendering Preview evaluation plane for far-field and directivity plots Cividis color table, for people with color vision deficiency Save plots in models for faster rendering Export animations in the WebM video format Interactive control of center of rotation Rotating the camera about the X-, Y-, and Z-axes Filters on 1D plots Plot First and Plot Last buttons Hardware-accelerated image generation for image export COMSOL MULTIPHYSICS® APPLICATION BUILDER 4.X 5.0 5.1 5.2 5.3 Application Builder Convert model to app 20 example applications in Application Libraries Support for apps using LiveLink*** for Excel® Enabling disabling of form objects from methods 60 example applications in Application Libraries Editor Tools Dynamic graphics updates Modifying the user interface at run time	Multiple expressions in Derived Values				√	√
Selections for plotting a subset of the geometry 1D plots with two different quantities on y-axes Step between solutions using toolbar buttons Streamline surface plot Units shown in geometry plots and color legends Option for switching off mesh rendering Preview evaluation plane for far-field and directivity plots Cividis color table, for people with color vision deficiency Save plots in models for faster rendering Export animations in the WebM video format Interactive control of center of rotation Rotating the camera about the X-, Y-, and Z-axes Filters on 1D plots Plot First and Plot Last buttons Hardware-accelerated image generation for image export COMSOL MULTIPHYSICS* APPLICATION BUILDER Application Builder Convert model to app 20 example applications in Application Libraries Support for apps using LiveLink™ for Excel* Enabling disabling of form objects from methods 60 example applications in Application Libraries Editor Tools Dynamic graphics updates Modifying the user interface at run time	Results parameters				√	√
1D plots with two different quantities on y-axes Step between solutions using toolbar buttons Streamline surface plot Units shown in geometry plots and color legends Option for switching off mesh rendering Preview evaluation plane for far-field and directivity plots Cividis color table, for people with color vision deficiency Save plots in models for faster rendering Export animations in the WebM video format Interactive control of center of rotation Rotating the camera about the X-, Y-, and Z-axes Filters on 1D plots Plot First and Plot Last buttons Hardware-accelerated image generation for image export COMSOL MULTIPHYSICS* APPLICATION BUILDER 4.X 5.0 5.1 5.2 5.3 Application Builder Convert model to app 20 example applications in Application Libraries Send e-mail from applications Support for apps using LiveLink™ for Excel® Enabling disabling of form objects from methods 60 example applications in Application Libraries Editor Tools Dynamic graphics updates Modifying the user interface at run time	Global expressions for Slice, Arrow, and Cut Plane positions				√	√
Step between solutions using toolbar buttons Streamline surface plot Units shown in geometry plots and color legends Option for switching off mesh rendering Preview evaluation plane for far-field and directivity plots Cividis color table, for people with color vision deficiency Save plots in models for faster rendering Export animations in the WebM video format Interactive control of center of rotation Rotating the camera about the X-, Y-, and Z-axes Filters on 1D plots Filters on 1D plots Plot First and Plot Last buttons Hardware-accelerated image generation for image export COMSOL MULTIPHYSICS® APPLICATION BUILDER Application Builder Convert model to app 20 example applications in Application Libraries Send e-mail from applications Support for apps using LiveLink™ for Excel® Enabling disabling of form objects from methods 60 example applications in Application Libraries Editor Tools Dynamic graphics updates Modifying the user interface at run time	Selections for plotting a subset of the geometry					√
Streamline surface plot Units shown in geometry plots and color legends Option for switching off mesh rendering Preview evaluation plane for far-field and directivity plots Cividis color table, for people with color vision deficiency Save plots in models for faster rendering Export animations in the WebM video format Interactive control of center of rotation Rotating the camera about the X-, Y-, and Z-axes Filters on 1D plots Plot First and Plot Last buttons Hardware-accelerated image generation for image export COMSOL MULTIPHYSICS® APPLICATION BUILDER 4.X 5.0 5.1 5.2 5.3 Application Builder Convert model to app 20 example applications in Application Libraries Send e-mail from applications Support for apps using LiveLink™ for Excel® Enabling disabling of form objects from methods 60 example applications in Application Libraries Editor Tools Dynamic graphics updates Modifying the user interface at run time	1D plots with two different quantities on y-axes					√
Units shown in geometry plots and color legends Option for switching off mesh rendering Preview evaluation plane for far-field and directivity plots Cividis color table, for people with color vision deficiency Save plots in models for faster rendering Export animations in the WebM video format Interactive control of center of rotation Rotating the camera about the X-, Y-, and Z-axes Filters on 1D plots Plot First and Plot Last buttons Hardware-accelerated image generation for image export COMSOL MULTIPHYSICS® APPLICATION BUILDER Application Builder Convert model to app 20 example applications in Application Libraries Send e-mail from applications Support for apps using LiveLink™ for Excel® Enabling disabling of form objects from methods 60 example applications in Application Libraries Editor Tools Dynamic graphics updates Modifying the user interface at run time	Step between solutions using toolbar buttons					√
Option for switching off mesh rendering Preview evaluation plane for far-field and directivity plots Cividis color table, for people with color vision deficiency Save plots in models for faster rendering Export animations in the WebM video format Interactive control of center of rotation Rotating the camera about the X-, Y-, and Z-axes Filters on 1D plots Plot First and Plot Last buttons Hardware-accelerated image generation for image export COMSOL MULTIPHYSICS® APPLICATION BUILDER Application Builder Convert model to app 20 example applications in Application Libraries Send e-mail from applications Support for apps using LiveLink™ for Excel® Enabling disabling of form objects from methods 60 example applications in Application Libraries Editor Tools Dynamic graphics updates Modifying the user interface at run time	Streamline surface plot					√
Preview evaluation plane for far-field and directivity plots Cividis color table, for people with color vision deficiency Save plots in models for faster rendering Export animations in the WebM video format Interactive control of center of rotation Rotating the camera about the X-, Y-, and Z-axes Filters on 1D plots Plot First and Plot Last buttons Hardware-accelerated image generation for image export COMSOL MULTIPHYSICS® APPLICATION BUILDER 4.X 5.0 5.1 5.2 5.3 Application Builder Convert model to app 20 example applications in Application Libraries Send e-mail from applications Support for apps using LiveLink™ for Excel® Enabling disabling of form objects from methods 60 example applications in Application Libraries Editor Tools Modifying the user interface at run time	Units shown in geometry plots and color legends					√
Cividis color table, for people with color vision deficiency Save plots in models for faster rendering Export animations in the WebM video format Interactive control of center of rotation Rotating the camera about the X-, Y-, and Z-axes Filters on 1D plots Plot First and Plot Last buttons Hardware-accelerated image generation for image export COMSOL MULTIPHYSICS® APPLICATION BUILDER 4.X 5.0 5.1 5.2 5.3 Application Builder Convert model to app 20 example applications in Application Libraries Send e-mail from applications Support for apps using LiveLink™ for Excel® Enabling disabling of form better from methods 60 example applications in Application Libraries Editor Tools Dynamic graphics updates Modifying the user interface at run time	Option for switching off mesh rendering					√
Save plots in models for faster rendering Export animations in the WebM video format Interactive control of center of rotation Rotating the camera about the X-, Y-, and Z-axes Filters on 1D plots Plot First and Plot Last buttons Hardware-accelerated image generation for image export COMSOL MULTIPHYSICS® APPLICATION BUILDER 4.X 5.0 5.1 5.2 5.3 Application Builder Convert model to app 20 example applications in Application Libraries Send e-mail from applications Support for apps using LiveLink™ for Excel® Enabling disabling of form objects from methods 60 example applications in Application Libraries Editor Tools Dynamic graphics updates Modifying the user interface at run time	Preview evaluation plane for far-field and directivity plots					√
Export animations in the WebM video format Interactive control of center of rotation Rotating the camera about the X-, Y-, and Z-axes Filters on 1D plots Plot First and Plot Last buttons Hardware-accelerated image generation for image export COMSOL MULTIPHYSICS® APPLICATION BUILDER Application Builder Convert model to app 20 example applications in Application Libraries Send e-mail from applications Support for apps using LiveLink™ for Excel® Enabling disabling of form objects from methods 60 example applications in Application Libraries Editor Tools Dynamic graphics updates Modifying the user interface at run time	Cividis color table, for people with color vision deficiency					√
Interactive control of center of rotation Rotating the camera about the X-, Y-, and Z-axes Filters on 1D plots Plot First and Plot Last buttons Hardware-accelerated image generation for image export COMSOL MULTIPHYSICS® APPLICATION BUILDER 4.X 5.0 5.1 5.2 5.3 Application Builder Convert model to app 20 example applications in Application Libraries Send e-mail from applications Support for apps using LiveLink™ for Excel® Enabling disabling of form objects from methods 60 example applications in Application Libraries Editor Tools Dynamic graphics updates Modifying the user interface at run time	Save plots in models for faster rendering					√
Rotating the camera about the X-, Y-, and Z-axes Filters on 1D plots Plot First and Plot Last buttons Hardware-accelerated image generation for image export COMSOL MULTIPHYSICS® APPLICATION BUILDER Application Builder Convert model to app 20 example applications in Application Libraries Send e-mail from applications Send e-mail from applications Send gisabling of form objects from methods 60 example applications in Application Libraries Editor Tools Dynamic graphics updates Modifying the user interface at run time	Export animations in the WebM video format					√
Filters on 1D plots Plot First and Plot Last buttons Hardware-accelerated image generation for image export COMSOL MULTIPHYSICS® APPLICATION BUILDER 4.X 5.0 5.1 5.2 5.3 Application Builder Convert model to app 20 example applications in Application Libraries Send e-mail from applications Support for apps using LiveLink™ for Excel® Faabling disabling of form objects from methods 60 example applications in Application Libraries Editor Tools Dynamic graphics updates Modifying the user interface at run time	Interactive control of center of rotation					√
Plot First and Plot Last buttons Hardware-accelerated image generation for image export COMSOL MULTIPHYSICS® APPLICATION BUILDER 4.X 5.0 5.1 5.2 5.3 Application Builder Convert model to app 20 example applications in Application Libraries Send e-mail from applications Support for apps using LiveLink™ for Excel® Enabling disabling of form objects from methods 60 example applications in Application Libraries Editor Tools Dynamic graphics updates Modifying the user interface at run time	Rotating the camera about the X-, Y-, and Z-axes					√
Hardware-accelerated image generation for image export COMSOL MULTIPHYSICS® APPLICATION BUILDER 4.X 5.0 5.1 5.2 5.3 Application Builder Convert model to app 20 example applications in Application Libraries Send e-mail from applications Support for apps using LiveLink™ for Excel® Enabling disabling of form objects from methods 60 example applications in Application Libraries Editor Tools Dynamic graphics updates Modifying the user interface at run time	Filters on 1D plots					√
COMSOL MULTIPHYSICS® APPLICATION BUILDER 4.X 5.0 5.1 5.2 5.3 Application Builder Convert model to app 20 example applications in Application Libraries Send e-mail from applications Support for apps using LiveLink™ for Excel® Enabling disabling of form objects from methods 60 example applications in Application Libraries Editor Tools Dynamic graphics updates Modifying the user interface at run time	Plot First and Plot Last buttons					√
Application Builder Convert model to app 20 example applications in Application Libraries Send e-mail from applications Support for apps using LiveLink TM for Excel® Enabling disabling of form objects from methods 60 example applications in Application Libraries Editor Tools Dynamic graphics updates Modifying the user interface at run time	Hardware-accelerated image generation for image export					√
Application Builder Convert model to app 20 example applications in Application Libraries Send e-mail from applications Support for apps using LiveLink TM for Excel® Enabling disabling of form objects from methods 60 example applications in Application Libraries Editor Tools Dynamic graphics updates Modifying the user interface at run time						
Convert model to app 20 example applications in Application Libraries Send e-mail from applications Support for apps using LiveLink™ for Excel® Enabling disabling of form objects from methods 60 example applications in Application Libraries Editor Tools Dynamic graphics updates Modifying the user interface at run time	COMSOL MULTIPHYSICS® APPLICATION BUILDER	4.X	5.0	5.1	5.2	5.3
20 example applications in Application Libraries Send e-mail from applications Support for apps using LiveLink™ for Excel® Enabling disabling of form objects from methods 60 example applications in Application Libraries Editor Tools Dynamic graphics updates Modifying the user interface at run time	Application Builder		√	√	√	√
Send e-mail from applications ✓ ✓ ✓ Support for apps using LiveLink™ for Excel® ✓ ✓ ✓ Enabling disabling of form objects from methods ✓ ✓ ✓ 60 example applications in Application Libraries ✓ ✓ ✓ Editor Tools ✓ ✓ ✓ Dynamic graphics updates ✓ ✓ ✓ Modifying the user interface at run time ✓ ✓ ✓	Convert model to app		√	√	√	√
Support for apps using LiveLink™ for Excel® ✓ ✓ ✓ Enabling disabling of form objects from methods ✓ ✓ ✓ 60 example applications in Application Libraries ✓ ✓ Editor Tools ✓ ✓ ✓ Dynamic graphics updates ✓ ✓ ✓ Modifying the user interface at run time ✓ ✓	20 example applications in Application Libraries			√	√	√
Enabling disabling of form objects from methods 60 example applications in Application Libraries Editor Tools Dynamic graphics updates Modifying the user interface at run time	Send e-mail from applications			√	√	√
60 example applications in Application Libraries Editor Tools Dynamic graphics updates Modifying the user interface at run time	Support for apps using LiveLink [™] for Excel [®]			√	√	√
Editor Tools Dynamic graphics updates Modifying the user interface at run time	Enabling disabling of form objects from methods			√	√	√
Dynamic graphics updates Modifying the user interface at run time	60 example applications in Application Libraries				√	√
Modifying the user interface at run time	Editor Tools				√	√
	Dynamic graphics updates				√	√
Autocompletion for application objects	Modifying the user interface at run time				√	√
	Autocompletion for application objects				√	√

COMSOL MULTIPHYSICS® APPLICATION BUILDER	4.X	5.0	5.1	5.2	5.3
Video and hyperlink form objects				√	√
Unit sets for centralized unit control				√	√
Interactive data picking in graphics					√
Data access in the Application Builder settings					√
Improved toolbar for applications in a web browser					√
Data access for physics interfaces					√
Horizontal radio buttons					√
COMSOL SERVER™	4.X	5.0	5.1	5.2	5.3
NEW Product: COMSOL Server™		\checkmark	\checkmark	\checkmark	√
Run apps with COMSOL Client for Windows®		\checkmark	\checkmark	\checkmark	\checkmark
Run apps with any major web browser		\checkmark	\checkmark	\checkmark	\checkmark
Allow coworkers and customers to run COMSOL applications		\checkmark	\checkmark	\checkmark	\checkmark
Fast launch of apps, app prelaunching		√	√	√	√
Configure for one app				√	√
Reconnect to app for lost connections				√	√
Custom COMSOL Server™ themes for branding				√	√
Power user role for user accounts				\checkmark	\checkmark
Centralized cluster settings					\checkmark
Servers and Sessions view in the Monitor page					\checkmark
Automatic migration of preferences from previous installations					√
Usage log text file					√
Reverse proxy support					√
COMSOL Client login with Windows® Authentication, Active Directory®, or LDAP					\checkmark
Current license and product usage display					√
Upload multiple apps at the same time					√
Automatic login to COMSOL Server™					\checkmark
Edit description and thumbnail image in the COMSOL Server™ web interface					√
Modify and test login configuration in the COMSOL Server $^{\text{\tiny{TM}}}$ web interface					√
Anonymous user login					\checkmark
Import and export preferences					√
Send notifications to users					√
Custom license error messages					\checkmark

Lumped ports and matrices for AC/DC √	ELECTROMAGNETICS	4.X	5.0	5.1	5.2	5.3
S-parameter matrices for high-frequency electromagnetics V V V V V V V V V	Lumped ports and matrices for AC/DC	√	√	√	√	\checkmark
Differential inductance	Far fields in dielectric media	√	√	√	√	\checkmark
Multiphysics interface electrostatic-structural interactions Coil excitation tools Porous medial material models Electrical motors and generator tools Dispersive media Wiltiphysics interface or piezoresistivity S-parameter matrices for low-frequency electromagnetics Inductively coupled plasmas Periodic ports with Floquet periodicity Lumped RLC elements NEW Product: Wave Optics Module New E-J formulation for superconductive materials Vectorized floating potentials Electrical contact with surface roughness NEW Product: Semiconductor Module Nonlinear magnetic material library 165 materials Improved multiphysics interface for induction heating Interior ports Transition boundary condition for thin conductive films Deposited microwave power boundary condition Gaussian background field Improved multiphysics interface for nucrowave heating Wultiphysics interface for Joule heating Thermal diffusion of electrons in plasmas Pleterojunctions, impact ionization, and field-dependent mobility Small-signal analysis and incomplete ionization for semiconductors Automated meshing for infinite elements and perfectly matched layers Multiphysics interface for poole chronics Multiphysics interface for poole chronics Multiphysics interface for Joule heating Thermal diffusion of electrons in plasmas Automated meshing for infinite elements and perfectly matched layers Automated meshing for infinite elements and perfectly matched layers Multiphysics interface for poole ctronics Multiphysics interface for poole electronics Multiphysics interface for poo	S-parameter matrices for high-frequency electromagnetics	√	√	√	√	\checkmark
Coil excitation tools Porous media material models Liectrical motors and generator tools Dispersive media Multiphysics interface for piezoresistivity S-parameter matrices for low-frequency electromagnetics Inductively coupled plasmas Periodic ports with Floquet periodicity Lumped RLC elements NEW Product: Wave Optics Module New E-J formulation for superconductive materials Vectorized floating potentials Electrical contact with surface roughness NEW Product: Semiconductor Module Nonlinear magnetic material library 165 materials Nonlinear magnetic material library 165 materials Nonlinear magnetic material library 165 materials Deposited microwave power boundary condition Gaussian background field Improved multiphysics interface for microwave heating Multiphysics interface for Juse heating Multiphysics interface for Juse heating Multiphysics interface for Juse heating Heterojunctions, impact ionization, and field-dependent mobility Small-signal analysis and incomplete ionization for semiconductors Automated meshing for infinite elements and perfectly matched layers Multiphysics interface for potoelectronics Linearly polarized wave as background field Noulinear Popolatic Ray Optics Module Noulinear Ray Poptics Module Noulinear Ray	Differential inductance	√	√	√	√	√
Porous media material models Electrical motors and generator tools Dispersive media W V V V V V V V V V V V V V V V V V V	Multiphysics interface electrostatic-structural interactions	√	√	√	√	\checkmark
Electrical motors and generator tools Dispersive media V V V V V V Multiphysics interface for piezoresistivity S-parameter matrices for low-frequency electromagnetics V V V V V V S-parameter matrices for low-frequency electromagnetics V V V V V V S-parameter matrices for low-frequency electromagnetics V V V V V V Inductively coupled plasmas Periodic ports with Floquet periodicity Lumped RLC elements NEW Product: Wave Optics Module V V V V V V New E-J formulation for superconductive materials Vectorized floating potentials Electrical contact with surface roughness NEW Product: Semiconductor Module Nonlinear magnetic material library 165 materials V V V V V V V V V V V V V V V V V V V	Coil excitation tools	√	√	√	√	\checkmark
Dispersive media V V V V V Multiphysics interface for piezoresistivity S-parameter matrices for low-frequency electromagnetics V V V V V Inductively coupled plasmas Periodic ports with Floquet periodicity Lumped RLC elements NEW Product: Wave Optics Module New E-J formulation for superconductive materials Vectorized floating potentials Electrical contact with surface roughness NEW Product: Semiconductor Module Nonlinear magnetic material library 165 materials V V V V V V V V V V V V V V V V V V V	Porous media material models	√	√	√	√	√
Multiphysics interface for piezoresistivity S-parameter matrices for low-frequency electromagnetics Inductively coupled plasmas Periodic ports with Floquet periodicity Lumped RLC elements NEW Product: Wave Optics Module New E-J formulation for superconductive materials Vectorized floating potentials Vectorized floating	Electrical motors and generator tools	√	√	√	√	\checkmark
S-parameter matrices for low-frequency electromagnetics Inductively coupled plasmas Periodic ports with Floquet periodicity Lumped RLC elements NEW Product: Wave Optics Module New E-J formulation for superconductive materials Vectorized floating potentials Vectorized floating po	Dispersive media	√	√	√	√	√
Inductively coupled plasmas Periodic ports with Floquet periodicity Lumped RLC elements NEW Product: Wave Optics Module New E-J formulation for superconductive materials Vectorized floating potentials Vectorized floa	Multiphysics interface for piezoresistivity	√	√	√	√	\checkmark
Periodic ports with Floquet periodicity Lumped RLC elements V V V V V NEW Product: Wave Optics Module New E-J formulation for superconductive materials Vectorized floating potentials Electrical contact with surface roughness NEW Product: Semiconductor Module Nonlinear magnetic material library 165 materials V V V V V V V V V V V V V V V V V V V	S-parameter matrices for low-frequency electromagnetics	√	√	√	√	√
Lumped RLC elements NEW Product: Wave Optics Module New E-J formulation for superconductive materials Vectorized floating potentials Electrical contact with surface roughness NEW Product: Semiconductor Module Nonlinear magnetic material library 165 materials Improved multiphysics interface for induction heating Interior ports Transition boundary condition for thin conductive films Deposited microwave power boundary condition Gaussian background field Improved multiphysics interface for microwave heating Multiphysics interface for loue heating Thermal diffusion of electrons in plasmas Heterojunctions, impact ionization, and field-dependent mobility Small-signal analysis and incomplete ionization for semiconductors Automated meshing for infinite elements and perfectly matched layers Multiphysics interface for optoelectronics Vectorized floating Vectorized vectors in plasmas Multiphysics interface for potoelectronics Vectorized floating vector	Inductively coupled plasmas	√	√	√	√	√
NEW Product: Wave Optics Module New E-J formulation for superconductive materials Vectorized floating potentials Electrical contact with surface roughness NEW Product: Semiconductor Module Nonlinear magnetic material library 165 materials Improved multiphysics interface for induction heating Interior ports Transition boundary condition for thin conductive films Deposited microwave power boundary condition Gaussian background field Improved multiphysics interface for microwave heating Multiphysics interface for laser heating Multiphysics interface for Joule heating Thermal diffusion of electrons in plasmas Heterojunctions, impact ionization, and field-dependent mobility Multomated meshing for infinite elements and perfectly matched layers Automatic mesh adaption based on material properties Multiphysics interface for optoelectronics Linearly polarized wave as background field NEW Product: Ray Optics Module	Periodic ports with Floquet periodicity	√	√	√	√	√
New E-J formulation for superconductive materials Vectorized floating potentials Electrical contact with surface roughness NEW Product: Semiconductor Module Nonlinear magnetic material library 165 materials Improved multiphysics interface for induction heating Interior ports Transition boundary condition for thin conductive films Deposited microwave power boundary condition Gaussian background field Improved multiphysics interface for microwave heating Wultiphysics interface for laser heating Multiphysics interface for Joule heating Thermal diffusion of electrons in plasmas Heterojunctions, impact ionization, and field-dependent mobility Small-signal analysis and incomplete ionization for semiconductors Automated meshing for infinite elements and perfectly matched layers Multiphysics interface for potoelectronics Linearly polarized wave as background field NEW Product: Ray Optics Module	Lumped RLC elements	√	√	√	√	√
Vectorized floating potentials Electrical contact with surface roughness NEW Product: Semiconductor Module Nonlinear magnetic material library 165 materials Improved multiphysics interface for induction heating Interior ports Transition boundary condition for thin conductive films Deposited microwave power boundary condition Gaussian background field Improved multiphysics interface for microwave heating Wultiphysics interface for laser heating Multiphysics interface for laser heating Thermal diffusion of electrons in plasmas Thermal diffusion of electrons in plasmas Wetton of electrons in plasmas Automated meshing for infinite elements and perfectly matched layers Automated mesh adaption based on material properties Numeric TEM ports for transmission lines Multiphysics interface for optoelectronics Linearly polarized wave as background field NEW Product: Ray Optics Module	NEW Product: Wave Optics Module	√	√	√	√	√
Electrical contact with surface roughness NEW Product: Semiconductor Module Nonlinear magnetic material library 165 materials Improved multiphysics interface for induction heating Interior ports Transition boundary condition for thin conductive films Deposited microwave power boundary condition Gaussian background field Improved multiphysics interface for microwave heating Multiphysics interface for laser heating Multiphysics interface for Joule heating Thermal diffusion of electrons in plasmas Heterojunctions, impact ionization, and field-dependent mobility Small-signal analysis and incomplete ionization for semiconductors Automated meshing for infinite elements and perfectly matched layers Multiphysics interface for optoelectronics Multiphysics interface for optoelectronics Linearly polarized wave as background field NEW Product: Ray Optics Module	New E-J formulation for superconductive materials	√	√	√	√	√
NEW Product: Semiconductor Module Nonlinear magnetic material library 165 materials Improved multiphysics interface for induction heating Interior ports Transition boundary condition for thin conductive films Deposited microwave power boundary condition Gaussian background field Improved multiphysics interface for microwave heating Multiphysics interface for laser heating Multiphysics interface for Joule heating Thermal diffusion of electrons in plasmas Heterojunctions, impact ionization, and field-dependent mobility Small-signal analysis and incomplete ionization for semiconductors Automated meshing for infinite elements and perfectly matched layers Multiphysics interface for optoelectronics Linearly polarized wave as background field NEW Product: Ray Optics Module	Vectorized floating potentials	√	√	√	√	√
Nonlinear magnetic material library 165 materials Improved multiphysics interface for induction heating Interior ports Transition boundary condition for thin conductive films Deposited microwave power boundary condition Gaussian background field Improved multiphysics interface for microwave heating Multiphysics interface for laser heating Multiphysics interface for laser heating Thermal diffusion of electrons in plasmas Heterojunctions, impact ionization, and field-dependent mobility Small-signal analysis and incomplete ionization for semiconductors Automated meshing for infinite elements and perfectly matched layers Automatic mesh adaption based on material properties Numeric TEM ports for transmission lines Multiphysics interface for optoelectronics Linearly polarized wave as background field NEW Product: Ray Optics Module	Electrical contact with surface roughness	√	√	_	√	_
Improved multiphysics interface for induction heating Interior ports Transition boundary condition for thin conductive films Deposited microwave power boundary condition Gaussian background field Improved multiphysics interface for microwave heating Multiphysics interface for laser heating Improved multiphysics interface for Joule heating Thermal diffusion of electrons in plasmas Heterojunctions, impact ionization, and field-dependent mobility Small-signal analysis and incomplete ionization for semiconductors Automated meshing for infinite elements and perfectly matched layers Automatic mesh adaption based on material properties Numeric TEM ports for transmission lines Multiphysics interface for optoelectronics Linearly polarized wave as background field NEW Product: Ray Optics Module	NEW Product: Semiconductor Module	√	√	√	√	√
Interior ports Transition boundary condition for thin conductive films Deposited microwave power boundary condition Gaussian background field Improved multiphysics interface for microwave heating Multiphysics interface for laser heating Thermal diffusion of electrons in plasmas Heterojunctions, impact ionization, and field-dependent mobility Small-signal analysis and incomplete ionization for semiconductors Automated meshing for infinite elements and perfectly matched layers Multiphysics interface for optoelectronics Multiphysics interface for optoelectronics Linearly polarized wave as background field NEW Product: Ray Optics Module	Nonlinear magnetic material library 165 materials	√	√	√	√	√
Transition boundary condition for thin conductive films Deposited microwave power boundary condition Gaussian background field Improved multiphysics interface for microwave heating Multiphysics interface for laser heating Improved multiphysics interface for Joule heating Thermal diffusion of electrons in plasmas Heterojunctions, impact ionization, and field-dependent mobility Small-signal analysis and incomplete ionization for semiconductors Automated meshing for infinite elements and perfectly matched layers Automatic mesh adaption based on material properties Multiphysics interface for optoelectronics Linearly polarized wave as background field NEW Product: Ray Optics Module	Improved multiphysics interface for induction heating	√	√	√	√	√
Deposited microwave power boundary condition Gaussian background field Improved multiphysics interface for microwave heating Multiphysics interface for laser heating Improved multiphysics interface for Joule heating Thermal diffusion of electrons in plasmas Heterojunctions, impact ionization, and field-dependent mobility Small-signal analysis and incomplete ionization for semiconductors Automated meshing for infinite elements and perfectly matched layers Automatic mesh adaption based on material properties Numeric TEM ports for transmission lines Multiphysics interface for optoelectronics Linearly polarized wave as background field NEW Product: Ray Optics Module	Interior ports	√	√	√	√	√
Gaussian background field Improved multiphysics interface for microwave heating Multiphysics interface for laser heating Improved multiphysics interface for Joule heating Thermal diffusion of electrons in plasmas Heterojunctions, impact ionization, and field-dependent mobility Small-signal analysis and incomplete ionization for semiconductors Automated meshing for infinite elements and perfectly matched layers Automatic mesh adaption based on material properties Numeric TEM ports for transmission lines Multiphysics interface for optoelectronics Linearly polarized wave as background field NEW Product: Ray Optics Module	Transition boundary condition for thin conductive films	√	√	√	√	√
Improved multiphysics interface for microwave heating Multiphysics interface for laser heating Improved multiphysics interface for Joule heating Thermal diffusion of electrons in plasmas Heterojunctions, impact ionization, and field-dependent mobility Small-signal analysis and incomplete ionization for semiconductors Automated meshing for infinite elements and perfectly matched layers Automatic mesh adaption based on material properties Numeric TEM ports for transmission lines Multiphysics interface for optoelectronics Linearly polarized wave as background field NEW Product: Ray Optics Module	Deposited microwave power boundary condition	√	√	√	√	\checkmark
Multiphysics interface for laser heating Improved multiphysics interface for Joule heating Thermal diffusion of electrons in plasmas Heterojunctions, impact ionization, and field-dependent mobility Small-signal analysis and incomplete ionization for semiconductors Automated meshing for infinite elements and perfectly matched layers Automatic mesh adaption based on material properties Numeric TEM ports for transmission lines Multiphysics interface for optoelectronics Linearly polarized wave as background field NEW Product: Ray Optics Module	Gaussian background field	√	√	√	√	√
Improved multiphysics interface for Joule heating Thermal diffusion of electrons in plasmas Heterojunctions, impact ionization, and field-dependent mobility Small-signal analysis and incomplete ionization for semiconductors Automated meshing for infinite elements and perfectly matched layers Automatic mesh adaption based on material properties Numeric TEM ports for transmission lines Multiphysics interface for optoelectronics Linearly polarized wave as background field NEW Product: Ray Optics Module	Improved multiphysics interface for microwave heating	√	√	√	√	√
Thermal diffusion of electrons in plasmas Heterojunctions, impact ionization, and field-dependent mobility Small-signal analysis and incomplete ionization for semiconductors Automated meshing for infinite elements and perfectly matched layers Automatic mesh adaption based on material properties Numeric TEM ports for transmission lines Multiphysics interface for optoelectronics Linearly polarized wave as background field NEW Product: Ray Optics Module	Multiphysics interface for laser heating	√	√	√	√	√
Heterojunctions, impact ionization, and field-dependent mobility Small-signal analysis and incomplete ionization for semiconductors Automated meshing for infinite elements and perfectly matched layers Automatic mesh adaption based on material properties Numeric TEM ports for transmission lines Multiphysics interface for optoelectronics Linearly polarized wave as background field NEW Product: Ray Optics Module	Improved multiphysics interface for Joule heating	√	√	√	√	\checkmark
Small-signal analysis and incomplete ionization for semiconductors Automated meshing for infinite elements and perfectly matched layers Automatic mesh adaption based on material properties Numeric TEM ports for transmission lines Multiphysics interface for optoelectronics Linearly polarized wave as background field NEW Product: Ray Optics Module	Thermal diffusion of electrons in plasmas	√	√	√	√	√
Automated meshing for infinite elements and perfectly matched layers Automatic mesh adaption based on material properties Numeric TEM ports for transmission lines Multiphysics interface for optoelectronics Linearly polarized wave as background field NEW Product: Ray Optics Module	Heterojunctions, impact ionization, and field-dependent mobility	√	√	√	√	√
Automatic mesh adaption based on material properties Numeric TEM ports for transmission lines Multiphysics interface for optoelectronics Linearly polarized wave as background field NEW Product: Ray Optics Module	Small-signal analysis and incomplete ionization for semiconductors	√	√	√	√	\checkmark
Numeric TEM ports for transmission lines Multiphysics interface for optoelectronics Linearly polarized wave as background field NEW Product: Ray Optics Module	Automated meshing for infinite elements and perfectly matched layers		√	√	√	√
Multiphysics interface for optoelectronics Linearly polarized wave as background field NEW Product: Ray Optics Module	Automatic mesh adaption based on material properties		√	√	√	√
Linearly polarized wave as background field NEW Product: Ray Optics Module V V V	Numeric TEM ports for transmission lines		√	√	√	√
NEW Product: Ray Optics Module	Multiphysics interface for optoelectronics		√	√	√	√
	Linearly polarized wave as background field		√	√	√	√
Equilibrium discharges for plasmas	NEW Product: Ray Optics Module		√	√	√	√
	Equilibrium discharges for plasmas		√	√	√	√

ELECTROMAGNETICS	4.X	5.0	5.1	5.2	5.3
Doping models for semiconductors		√	√	√	√
Automatic meshing for dopant concentration gradients		\checkmark	√	√	√
Spontaneous emission		√	√	√	√
Light absorption and stimulated emission		√	√	√	√
Tunnel currents		√	√	√	√
Modeling of traps		√	√	√	√
Band-Gap narrowing models		√	√	√	√
Transmission line calculator app			√	√	√
Coil geometry analysis tool			√	√	√
SPICE export			√	√	√
SPICE Components: PNP BJT, p-channel MOSFET, Mutual inductance, Transformer			√	√	√
Loss tangent, loss angle, and dissipation factor			√	√	√
Surface roughness on lossy conductive surfaces			√	√	√
Time-domain modeling of dispersive Drude-Lorentz media			√	√	√
Wavelength-domain study			√	√	√
Hexagonal periodic structures			√	√	√
Beam envelope method for ring resonators			√	√	√
Optical materials database with over 1400 materials			√	√	√
Optical components part library			√	√	√
Polarization ellipses plot			√	√	√
Multiphysics interface for ray heating			√	√	√
Ray release based on text file			√	√	√
Ray intensity computation in graded media				√	√
Material models from externally programmed libraries written in C				√	√
Effective nonlinear magnetic curves calculator				√	√
Smith plots				√	√
Optical fiber simulation app				√	√
Multiphysics interface for thermoelastic damping in MEMS				√	√
Vector hysteresis with the Jiles-Atherton material model				√	√
Magnetic shielding with saturation effects				√	√
Boundary surface current coils				√	√
Domain terminal boundary condition for electrostatics and electric currents				√	√
Mutual capacitance matrix export				√	√
Improved asymptotic waveform evaluation and frequency-domain modal methods				√	√
Two-port networks				√	√
Polarization domain for nonlinear frequency mixing				√	√
Optical ray propagation outside CAD geometry				√	√

ELECTROMAGNETICS	4.X	5.0	5.1	5.2	5.3
Optical aberration plots				√	√
Electrostatics based on the boundary element method (BEM)					√
Hybrid finite element and boundary element method for electrostatics					√
Accelerated computation of capacitance matrix and other lumped matrices					V
Part library with waveguides, surface-mount footprints, and SMA connectors					√
Composite lumped LC and RLC elements					√
Touchstone file import for two-port network boundary condition					√
Surface magnetic current density boundary condition					√
Transient S-parameters for time-domain analysis					√
New postprocessing variables for effective isotropic radiated power and gains					√
Ray termination based on bounding box, intensity, or power					√
Photometric data file import for ray optics					√
Part variants for optical components					√
Emission according to Lambert's cosine law					√
Ray detector feature for selecting a subset of rays					√
Global modeling for initial analyses of plasma processes					√
Local field approximation for mean electron energy in plasmas					√
Automatic calculation of electron mobility for plasma simulations					√
Schrödinger equation interfaces					√
Current-driven metal contacts for semiconductor device simulations					√
Revolutionary new method for capacitively coupled plasma (CCP) simulations					√
Computation of ion energy distribution function (IEDF) and ion angular energy distribution function (IAEDF)					√
Hybrid boundary-element–finite-element method (BEM-FEM) for magnetostatics					√
Soft magnet material model for permanent magnets					√
Adaptive frequency sweep for high-frequency electromagnetics					√
Updated Electromagnetic Heating Multiphysics Coupling					√
Library of more than 60 RF and microwave substrate materials from Rogers Corporation					√
Generalized rotating machinery interface for magnetics					√
Edge launch connectors added to the RF part library					√
De-embedded ports					√
Physics-controlled mesh for frequency-dependent materials					√
Gaussian beam background field based on plane-wave expansion					√
Grid-based release of optical rays with cylindrical and hexapolar coordinates					√
Suppression of reflected rays during refraction					√
Termination based on the number of reflections					1
New parts for ray optics: Spherical General Lens, Circular Planar Annulus, On Axis Conic Mirror, Off Axis Conic Mirror					✓
Semiconductor equilibrium study					√
Quasi-fermi level formulation for semiconductor device simulations					√

ELECTROMAGNETICS	4.X	5.0	5.1	5.2	5.3
Power-driven terminal condition for semiconductor device simulations					1
Perfectly matched layers for Schrödinger equation analysis					✓
HEAT TRANSFER	4.X	5.0	5.1	5.2	5.3
Multilayered shells	√	√	√	√	1
Fans and grilles	√	√	1	1	1
External radiation sources	√	√	√	√	1
Solar irradiation	√	√	√	√	1
Total power heat sources	√	√	√	√	1
Moist air and condensation	√	√	√	√	1
Load cases	√	√	√	√	1
Multi-wavelength radiation	√	√	1	1	1
Phase change with apparent heat capacity method	√	√	√	√	1
Thermal contact with surface roughness	√	√	1	1	1
Fast methods for radiation in participating media	√	√	1	1	1
Multiphysics interface for thermoelectric effect	√	√	1	1	1
Bioheating damage integral analysis	√	√	√	√	1
Easy verification of global heat and energy balances	√	√	1	1	1
Mixed low- and high-conductive multilayered shells		√	√	√	1
Heat transfer in fractures		√	√	√	1
Heat transfer in highly conductive rods		√	√	√	1
Cryogenic damage integral analysis		√	√	√	1
Fans and grilles for turbulent flow		√	√	√	1
Viscous dissipation		√	√	√	1
lsothermal domains		√	√	√	√
List of solar positions for cities		√	√	√	1
Multiphysics interface for non-isothermal flow		√	√	√	√
Algebraic turbulence models			√	√	_
Multiphysics interface for local thermal non-equilibrium			√	√	_
Coupled porous media and turbulent flow			√	√	1
Non-isothermal flow in porous media			√	√	1
Deposited beam power tool			1	√	1
Multiphysics interface for the Marangoni effect			√	√	1
Blackbody intensity and emissive power functions			1	1	1
5 times faster bioheating			√	√	1
Symmetry plane for surface-to-surface radiation				1	1
Meteorological database for ambient conditions				√	1
Multiphysics interface for heat and moisture transport				/	/

HEAT TRANSFER	4.X	5.0	5.1	5.2	5.3
Buoyancy effects in conjugate heat transfer				√	√
Heat transfer in building materials				√	√
Sector symmetry for heat radiation				√	√
Updated bioheat material database				√	√
Heat transfer in the frequency domain					√
Geometry parts for heat sinks					√
Library of building and refrigerant materials					√
Irreversible transformations in solids					√
Serendipity elements for heat transfer					√
Surface-to-surface radiation symmetry for perpendicular planes					√
Mixed diffuse and direct solar radiation					√
New Moisture Flow multiphysics coupling interface					√
Moisture transfer coefficients					√
New inflow boundary condition based on known upstream conditions					1
Beer-Lambert law for absorption of light in weakly absorbing media					√
Thermally induced irreversible transformations in solids					—
Thermal contact by an equivalent thin resistive layer					√
Heat transfer coefficients library for arbitrary fluids					√
Meteorological database expanded to 8000 weather stations					√
Heat transfer in shape memory alloys (SMA)					—
Updated Electromagnetic Heating Multiphysics Coupling					√
Updated Thermoelectric Effect Multiphysics Coupling					√
STRUCTURAL MECHANICS	4.X	5.0	5.1	5.2	5.3
PMLs for piezoelectric materials		\checkmark	\checkmark	\checkmark	\checkmark
Infinite elements for solid mechanics	√	\checkmark	\checkmark	\checkmark	\checkmark
Prestressed analysis	√	\checkmark	\checkmark	\checkmark	\checkmark
NEW Product: Geomechanics Module	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Voigt notation for anisotropic materials	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Specify elastic materials using 9 different property combinations	\checkmark	\checkmark	√	√	\checkmark
Thin-film damping for MEMS	\checkmark	√	√	√	√
New contact solver based on double dogleg method	√	√	√	√	√
Load cases	√	√	√	√	√
Membranes	√	√	√	√	√
Cyclic and Floquet periodicity	√	√	√	√	√
Rigid connectors	√	√	√	√	√
Low-reflecting boundary conditions for transient elastic waves	√	√	1	√	√
Buckling for trusses		./			/

STRUCTURAL MECHANICS	4.X	5.0	5.1	5.2	5.3
NEW Product: Nonlinear Structural Materials Module	✓	√	\checkmark	√	√
Yeoh, Varga, and Blatz-Ko hyperelasticity	√	√	√	√	√
Dilation angle for soil	✓	√	√	√	√
NEW Product: Fatigue Module	√	√	√	√	√
Bolt pretension	√	√	1	√	√
Beam cross-section user interface	√	√	√	√	√
Gent, Gao, and Storakers hyperelasticity	√	√	√	√	√
Rainflow fatigue analysis	√	√	1	√	√
NEW Product: Multibody Dynamics Module	√	√	√	√	√
Multiphysics interface for MEMS thermoelasticity	√	√	1	√	√
Thermal expansion for piezomaterials	√	√	✓	√	√
Rotordynamic forces	√	√	1	√	√
Contact penalty method	√	√	1	√	√
Solid-shell and shell-beam connections	√	√	1	√	√
Rigid domains	√	√	√	√	√
Timoshenko beams	√	√	√	√	√
New thermal stress multiphysics interface	√	√	√	√	√
Fatigue in nonlinear materials and thermal fatigue	√	√	1	√	√
Fixed joint, distance joint, universal joint, and friction in joints	√	√	✓	√	√
Improved multiphysics interface for thermal stress	√	√	√	√	√
Geometrically nonlinear beams		√	√	√	√
Improved fluid-structure interaction for fixed and flexible geometry		√	√	√	√
Spring and damper matrices		√	√	√	√
Multiphysics interface for hygroscopic swelling		√	√	√	√
Easy couplings between shells and beams		√	1	√	√
Nonlinear elastic materials		√	√	√	√
Orthotropic, anisotropic, and hyperelastic membranes		√	√	√	√
Nonlinear elastic materials		√	√	√	√
Stress-life and strain-life fatigue models		√	√	√	√
Elastic joints and base motion for multibody dynamics		√	√	√	√
Multiphysics interfaces for multibody dynamics with heat transfer		√	√	√	√
Multiphysics interfaces for multibody dynamics with pressure acoustics		√	√	√	√
New multiphysics interface for the piezoelectric effect		√	✓	√	√
Improved multiphysics interface for piezoelectric effect		√	√	√	√
Dielectric loss in piezoelectric materials		√	✓	√	√
Built-in quartz material properties		√	✓	√	√
Part library for mechanical components			√	√	√
External stress interface			✓	√	√

STRUCTURAL MECHANICS	4.X	5.0	5.1	5.2	5.3
Viscous damping			√	√	√
Nonlinear elasticity, viscoelasticity, creep, and viscoplasticity for membranes			√	√	√
Plasticity in trusses			√	√	√
Point trajectory plots for multibody dynamics			√	√	√
Perforations in thin-film flow for MEMS			√	√	√
Material models from externally programmed libraries written in C				√	√
Optimized contact for small displacements				√	√
Adhesion and decohesion for mechanical contact				√	√
Multiphysics interface for magnetostriction				√	√
New plasticity material models				√	√
Multiphysics interface for piezoresistivity				√	√
Serendipity elements				√	√
Tangent coefficient of thermal expansion				√	√
Thermal expansion of constraints				√	√
Multiphysics interface for poroelasticity				√	√
Periodic conditions for shells				√	√
NEW Product: Rotordynamics Module				√	√
Solid and beam rotor interfaces for rotordynamic applications				√	√
Hydrodynamic bearings for rotordynamic applications				√	√
Whirl, waterfall, and orbit plots for rotordynamics applications				√	√
Large-strain viscoelasticity				√	√
Mixed isotropic and kinematic hardening				√	√
New isotropic and kinematic hardening material models for plasticity				√	√
Subsurface fatigue with the Dang-Van material model				√	√
Gear modeling for multibody dynamics				√	√
Part library with parameterized gears				√	√
Stress linearization evaluation of membrane, bending, and peak stress					√
Study step and automatic symmetry detection for pre-stressed bolts					√
Automatic suppression of rigid body motion					√
Computation of safety factors for 12 safety criteria					√
Linear buckling analysis for beams					√
Dedicated data set for shell analysis					√
Material data for thin elastic layers and spring foundation					√
2D cross-sectional mode analysis for out-of-plane elastic waves					√
Multiplicative decomposition of inelastic strains					√
Rigid domain for shell and beam					√
Rigid connector for beams					√
Spring boundary conditions for rigid domain and connector					_

STRUCTURAL MECHANICS	4.X	5.0	5.1	5.2	5.3
Complete set of energy variables for mechanical contact					√
Frequency-response of mechanical contact models					√
Extended functionality for external material models written in C					\checkmark
Perzyna and Chaboche viscoplastic material models					√
Material models for porous plasticity					√
Anisotropic thermal expansion and hygroscopic swelling for hyperelastic materials					√
Hardening of elliptic caps in soil plasticity analyses					√
Vibration fatigue analysis					√
Highlighting of joints for multibody dynamics analyses					√
Penalty method for computing joint forces					√
Attachments on rigid bodies					√
Inlets and outlets for hydrodynamic bearings					_
Rotor bearing system simulator app					1
Shape memory alloy (SMA) material models					1
Generalized multiphysics interface for fluid-structure interaction (FSI)					1
Bolt thread contact modeling					
Solid-beam coupling in 3D models					<u></u>
Generalized plane strain formulation					<u></u>
Cam-follower joint condition for multibody dynamics					<u> </u>
Lumped mechanical system interface					<u></u>
Ball and roller bearings for rotordynamics simulations					<u></u>
Improved default plots for several structural mechanics interfaces					<u> </u>
C-profile and hat beam cross sections					<u> </u>
Option to exclude the constraints on lower geometric entity levels					<u> </u>
Eigenfrequency analysis following a mechanical contact analysis					<u> </u>
Mechanical losses associated to thermal stress					1
Failure criteria for membranes and concrete					1
Plastic hardening and void nucleation in porous plasticity					1
New soil material models: Modified Cam-Clay, Hardening Soil, Extended Barcelona Basic, and Modified Structured Cam-Clay					√
Solid-bearing multiphysics coupling for hydrodynamic bearings					√
Hydrodynamic thrust bearings					\checkmark
ACOUSTICS	4.X	5.0	5.1	5.2	5.3
Multiphysics interface for acoustic-piezo interactions	√	√	√	√	√
Multiphysics interface for acoustic-shell interactions	<u> </u>	<u></u>	<u> </u>	<u> </u>	1
Multiphysics interface for poroelastic waves	1	<u></u>	1	1	1
Multiphysics interface for thermoviscous acoustics	1	1	1	1	1
Multiphysics interface for thermoviscous acoustic-solid interactions					

ACOUSTICS	4.X	5.0	5.1	5.2	5.3
Multiphysics interface for time-domain pipe acoustics	\checkmark	\checkmark	√	\checkmark	√
Multiphysics interface for membrane-acoustic interactions	√	√	√	\checkmark	√
Multiphysics interface for thermoviscous acoustic-shell interactions	√	√	√	√	√
Thermoviscous acoustic boundary condition approximation	√	√	√	√	√
Multiphysics interface for frequency-domain pipe acoustics	√	√	1	√	√
Aeroacoustics with linearized Euler equations	√	√	√	√	√
Ray acoustics		√	1	√	√
Acoustic diffusion		√	1	√	√
New multiphysics interface for the piezoelectric effect		√	√	√	√
Aeroacoustics with linearized Navier-Stokes equations		√	√	√	√
Predefined impedance boundary conditions			√	√	√
Expanded poroacoustic fluid models			√	√	√
Dipole and quadrupole sources			√	√	√
Visualize far fields on grid outside computational mesh			√	√	√
Octave plots				√	√
New multiphysics interface for poroelastic waves				√	√
Discontinuous Galerkin method for ultrasound with background flow				1	1
Directivity plot				_	_
Background acoustic fields for thermoviscous acoustics				_	_
Background acoustic fields for linearized Navier-Stokes and Euler aeroacoustics				_	_
Ray power and sound pressure level for ray acoustics				_	1
Acoustic ray propagation outside CAD geometry				√	√
Cylindrical and spherical waves for background fields in pressure acoustics				√	√
Electroacoustic couplings for loudspeakers				√	√
Logarithmic and ISO preferred frequency sweeps				_	1
Perfectly matched layers (PMLs) for pressure acoustics in the time domain					_
Thermoviscous acoustics in the time domain					1
Serendipity elements for acoustics					_
New numerical stabilization for linearized Navier-Stokes analyses					√
2D axisymmetric convected wave equation based on discontinuous Galerkin					_
Thermal and viscous losses in poroelastic waves based on Biot-Allard model					1
Interior Perforated plate condition					_
Beam width calculations for far-field plots					1
Hybrid BEM-FEM for acoustics, acoustic-structure, and acoustics-piezo interactions					√
Impulse response analysis for ray acoustics					√
Discontinuous Galerkin explicit method for time-dependent acoustics					1
Absorbing layers for linearized Euler aeroacoustics in the time domain					√
Plane wave expansion for pressure acoustics in 2D axisymmetric models					

ACOUSTICS	4.X	5.0	5.1	5.2	5.3
Incident monochromatic plane waves for transient acoustics					_
Linear and logarithmic frequency axis option for directivity plots					_
Improved solver suggestions for multiphysics couplings and transient analysis					✓
FLUID FLOW	4.X	5.0	5.1	5.2	5.3
High-Mach number flow	√	√	√	√	√
NEW Product: Microfluidics Module	\checkmark	√	1	1	1
k-omega turbulence model	√	√	√	√	√
Euler-Euler two-phase flow	√	√	√	√	√
Slip-flow	√	√	√	√	√
Turbulent mixing	√	√	√	√	√
NEW Product: Pipe Flow Module	√	√	√	√	√
Automatic boundary-layer meshing	√	√	√	√	√
Turbulent reacting flow	√	√	√	√	√
SCCM inflow	√	√	1	√	1
Frozen rotor method	√	√	√	√	√
SST turbulence	√	√	1	√	1
Thin screens	√	√	√	√	√
Heat transfer with phase change	√	√	√	√	√
Two-phase flow in pipes	√	√	√	√	√
Multiphysics interface for frequency-domain pipe acoustics	√	√	√	√	√
NEW Product: Molecular Flow Module	√	√	√	√	√
Wall surface roughness for turbulent flow	√	√	√	√	√
Anisotropic porous media flow with Brinkman equations	√	√	√	√	√
NEW Product: Mixer Module	√	√	√	√	√
Algebraic turbulence models		√	√	√	√
Turbulence with grilles and fans		√	√	√	√
New multiphysics interface for non-isothermal flow		√	√	√	√
SST turbulence model for reacting flow		√	√	√	√
Cavitation for thin film flow		√	√	√	√
Rotating machinery with multiphase flow		√	1	√	1
Multiphysics interface for transport of diluted species in porous media		√	√	√	1
Partially saturated porous media		√	1	√	1
3D laminar flow to 1D pipe flow connection		√	V	√	V
Euler-Euler two-phase flow for turbulent flow			√	√	√
Coupled porous media and turbulent flow			√	√	√
Capillary pressure in two-phase porous media flow			1	1	1
Perforations for thin-film flow			/	/	/

Infinite elements for porous media Part library with miser equipment components Part library flow computations Molecular flow computations Molecular flow with multiple species Three-phase laminar flow Molecular flow with multiple species Three-phase laminar flow Stationary free surface flow computation Algebraic turbulence for mising Compressible flow in 1D pipes Stationary free surface flow computation Algebraic turbulence for mising Compressible flow in 1D pipes Bay definition of gravity and buoyancy effects Built in Boussinesa approximation for nonisothermal flow Swirt flow for fan boundary condition Temperature changes from pressure work in porous media flow Multiphysics interface for reacting flow Carphics is cons for pipe system components Pump inlet condition and pump curve data for pipe flow Multiphysics interface for reacting flow Automatic will treatment for turbulent flow Automatic utranslation between turbulence models Algebraic multigrid (AMCs) solver for CFD New formulation for high-Mach number flow New interior wall and thin barrier boundary conditions for porous media flow New mell boundary condition for subsurface flow in porous media Reacting flow in porous media Transport of diluted species in porous media and fractures Plane symmetry condition for free molecular flow Realizable k: turbulence model Buoyancy-induced turbulence Molecular flow interfaces for full of structure interaction (FSI) In let boundary condition for free molecular flow Realizable k: turbulence model Buoyancy-induced turbulence Molecular flow interfaces made available for multipha	FLUID FLOW	4.X	5.0	5.1	5.2	5.3
Part library with microfluidic channels New y-junctions and m-way junctions for pipe flow Parallelized molecular flow computations Molecular flow with multiple species Molecular flow with multiple species Wolf of the parallelized molecular flow computations Molecular flow with multiple species Wolf of the parallelized molecular flow computation Algebraic turbulence for rotating machinery Stationary free surface flow computation Algebraic turbulence for mixing Compressible flow in 1D pipes Easy definition of gravity and buoyancy effects Built-in Boussinesq approximation for nonisothermal flow Swirt flow for fan boundary condition Temperature changes from pressure work in porous media flow Multiphysics interface for reacting flow Graphics icons for pipe system components Pump inlet condition and pump curve data for pipe flow Flowner plots for subsurface flow V2-f turbulence model Automatic wall treatment for turbulent flow Automatic translation between turbulence models Algebraic multigrid (AMG) solver for CFD New formulation for high-Mach number flow New interior wall and thin barrier boundary conditions for porous media flow Reacting flow in porous media Transport of diluted species in porous media and fractures Planes symmetry condition for remolecular flow Generalized multiphysics interface for fluid-structure interaction (FSI) Intel boundary condition for free molecular flow Realizable k-z turbulence model Buoyancy-induced turbulence Molecular flow interface Kozeny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law interface Kozeny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law interface Kozeny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law interface Kozeny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law interface	Infinite elements for porous media			√	√	
New y-junctions and n-way junctions for pipe flow Parallelized molecular flow computations Molecular flow with multiple species Three-phase laminar flow Algebraic turbulence for rotating machinery Stationary free surface flow computation Algebraic turbulence for mixing Compressible flow in 1D pipes Easy definition of gravity and buoyancy effects Built-in Boussinesq approximation for nonisothermal flow Swirt flow for fan boundary condition Temperature changes from pressure work in porous media flow Multiphysics interface for reacting flow Graphics cons for pipe system components Pump inlet condition and pump curve data for pipe flow Plowned plots for subsurface flow v.2-fturbulence model Automatic wall treatment for turbulent flow Automatic translation between turbulence models Algebraic multigrid (AMG) solver for CFD New formulation for high-Mach number flow New interior wall and thin barrier boundary conditions for porous media flow Reacting flow in porous media and fractures Plane symmetry condition for free molecular flow Realizable k-z turbulence model Rotanger-induced turbulence Rotanger-induced turbulence Rotanger-induced turbulence Rotating machinery interfaces made available for all flow interface Rotating machinery interfaces made available for Darcy's law Thin barrier feature in the two-phase Darcy's law Interface Rotating machinery interface for barcy's law Interface Rotating machinery interface for barcy's law Interface Rotating machinery interface for Barcy's law Interface Rotating machinery interface for Darcy's law Thin barrier feature in the two-phase Darcy's law Interface	Part library with mixer equipment components			√	√	\checkmark
Parallelized molecular flow computations Molecular flow with multiple species Three-phase laminar flow Algebraic turbulence for rotating machinery Stationary free surface flow computation Algebraic turbulence for mixing Compressible flow in 1D pipes Easy definition of gravity and buoyancy effects Built-in Boussinesq approximation for nonisothermal flow Swirl flow for fan boundary condition Temperature changes from pressure work in porous media flow Multiphysics interface for reacting flow Graphics icons for pipe system components Pump inlet condition and pump curve data for pipe flow Flownet plots for subsurface flow V2-t turbulence model Automatic wall treatment for turbulent flow Automatic translation between turbulence models Algebraic multigrid (AMG) solver for CFD New formulation for high-Mach number flow New interior wall and thin barrier boundary conditions for porous media flow New interior wall and thin barrier boundary conditions for porous media flow New well boundary condition for removes media and fractures Plane symmetry condition for subsurface flow in porous media Reacting flow in porous media Transport of diluted species in porous media and fractures Plane symmetry condition for free molecular flow Realizable k-t turbulence model Buoyancy-induced turbulence All turbulence model made available for multiphase flow Rotating machinery interfaces made available for all flow interfaces Kozeny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law interface Windows and the fature in the two-phase Darcy's law interface Windows and interface in the two-phase Darcy's law interface Windows and interface for fine the two-phase Darcy's law interface Windows and interface for fine the two-phase Darcy's law interface Windows and interface for fine the two-phase Darcy's law interface	Part library with microfluidic channels			√	√	\checkmark
Molecular flow with multiple species Three-phase laminar flow Algebraic turbulence for rotating machinery Stationary free surface flow computation Algebraic turbulence for mixing Compressible flow in 1D pipes Easy definition of gravity and buoyancy effects Built-in Boussinesq approximation for nonisothermal flow Swirl flow for fan boundary condition Temperature changes from pressure work in porous media flow Multiphysics interface for reacting flow Graphics isons for pipe system components Pump inlet condition and pump curve data for pipe flow Flownet plots for subsurface flow V2-f turbulence model Automatic wall treatment for turbulent flow Automatic translation between turbulence models Algebraic multigrid (AMG) solver for CFD New formulation for high-Mach number flow New well boundary condition for subsurface flow in porous media flow Reacting flow in porous media Algebraic multiphysics interface for fluid-structure interaction (FSI) Inlet boundary conditions for free molecular flow Realizable k-s turbulence Molecular flow interface Mozeny-induced turbulence Molecular flow interface Mozeny-induced turbulence Molecular flow interface Mozeny-carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law	New y-junctions and n-way junctions for pipe flow			√	√	
Three-phase laminar flow Algebraic turbulence for rotating machinery Stationary free surface flow computation Algebraic turbulence for mixing Compressible flow in 1D pipes Basy definition of gravity and buoyancy effects Built-in Boussinesq approximation for nonisothermal flow Swirl flow for fan boundary condition Temperature changes from pressure work in porous media flow Multiphysics interface for reacting flow Graphics icons for pipe system components Pump inlet condition and pump curve data for pipe flow Pump inlet condition and pump curve data for pipe flow Pump inlet condition and pump curve data for pipe flow Automatic wall treatment for turbulent flow Automatic wall treatment for turbulent flow Automatic translation between turbulence models Algebraic multigrid (AMG) solver for CFD New formulation for high-Mach number flow New interior wall and thin barrier boundary conditions for porous media flow Transport of diluted species in porous media and fractures Plane symmetry condition for rememble automatic flow in porous media Reacting flow in porous media Transport of diluted species in porous media and fractures Plane symmetry condition for free molecular flow Generalized multiphysics interface for fluid-structure interaction (FSI) Inlet boundary conditions for fully developed turbulent flow Realizable k-t turbulence model Buoyancy-induced turbulence All turbulence models made available for multiphase flow Rotating machinery interfaces and e available for all flow interface Vexageny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law Interface	Parallelized molecular flow computations			√	√	
Algebraic turbulence for rotating machinery Stationary free surface flow computation Algebraic turbulence for mixing Compressible flow in 1D pipes Easy definition of gravity and buoyancy effects Built-in Boussinesq approximation for nonisothermal flow Swirt flow for fan boundary condition Temperature changes from pressure work in porous media flow Multiphysics interface for reacting flow Graphics icons for pipe system components Pump inlet condition and pump curve data for pipe flow Flownet plots for subsurface flow 2-f turbulence model Automatic translation between turbulence models Algebraic multigrid (AMG) solver for CFD New formulation for high-Mach number flow New interior wall and thin barrier boundary conditions for porous media flow New well boundary condition for subsurface flow in porous media flow Transport of diluted species in porous media and fractures Plane symmetry condition for free molecular flow Generalized multiphysics interface for fluid-structure interaction (FSI) Inlet boundary conditions for fully developed turbulent flow All turbulence models made available for multiphase flow Realized free and porous media flow interface Wozeny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law Interface	Molecular flow with multiple species			√	√	\checkmark
Stationary free surface flow computation Algebraic turbulence for mixing Compressible flow in 1D pipes Easy definition of gravity and buoyancy effects Built-in Boussinesq approximation for nonisothermal flow Swirl flow for fan boundary condition Swirl flow for fan boundary condition Wultiphysics interface for reacting flow Graphics icons for pipe system components Pump inlet condition and pump curve data for pipe flow Flownet plots for subsurface flow V2-f turbulence model Automatic translation between turbulence models Algebraic multigrid (AMG) solver for CFD New interior wall and thin barrier boundary conditions for porous media flow New interior wall and thin barrier boundary conditions for porous media flow Reacting flow in porous media Transport of diluted species in porous media and fractures Plane symmetry condition for free molecular flow Realizable k-t turbulence Alt turbulence model Alt urbulence model Alt urbulence model Alternative manufaction between turbulence flow Realizable k-t turbulence models and dad available for multiphase flow Realizable k-t turbulence Rozeny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law Interface	Three-phase laminar flow				√	
Algebraic turbulence for mixing Compressible flow in 1D pipes Easy definition of gravity and buoyancy effects Built-in Boussinesq approximation for nonisothermal flow Swirl flow for fan boundary condition Temperature changes from pressure work in porous media flow Whitiphysics interface for reacting flow Graphics icons for pipe system components Pump inlet condition and pump curve data for pipe flow Flownet plots for subsurface flow V2-f turbulence model Automatic wall treatment for turbulent flow Automatic translation between turbulence models Algebraic multigrid (AMG) solver for CFD New formulation for high-Mach number flow New interior wall and thin barrier boundary conditions for porous media flow New well boundary condition for subsurface flow in porous media Reacting flow in porous media Transport of diluted species in porous media and fractures Plane symmetry condition for free molecular flow Generalized multiphysics interface for fluid-structure interaction (FSI) Inlet boundary conditions for fluid developed turbulent flow Realizable k-t turbulence All turbulence models made available for multiphase flow Rotating machinery interfaces and available for multiphase flow Flow interface and porous media flow interface Floyagment and flow interface Floyagment and freatures Floyagment and flow interface Floyagmen	Algebraic turbulence for rotating machinery				√	\checkmark
Compressible flow in 1D pipes Easy definition of gravity and buoyancy effects Built-in Boussinesq approximation for nonisothermal flow Swirl flow for fan boundary condition Temperature changes from pressure work in porous media flow Multiphysics interface for reacting flow Graphics icons for pipe system components Pump inlet condition and pump curve data for pipe flow Pump inlet condition and pump curve data for pipe flow Pump inlet condition and pump curve data for pipe flow Pump inlet condition and pump curve data for pipe flow Pump inlet condition and pump curve data for pipe flow Pump inlet condition and pump curve data for pipe flow Pump inlet condition and pump curve data for pipe flow Pump inlet condition and pump curve data for pipe flow Pump inlet condition and pump curve data for pipe flow Automatic translation between turbulence models Algebraic multigrid (AMG) solver for CFD New formulation for high-Mach number flow New interior wall and thin barrier boundary conditions for porous media flow New well boundary condition for subsurface flow in porous media Reacting flow in porous media Transport of diluted species in porous media and fractures Plane symmetry condition for free molecular flow Generalized multiphysics interface for fluid-structure interaction (FSI) Inlet boundary conditions for fully developed turbulent flow Realizable k-t turbulence model Buoyancy-induced turbulence All turbulence models made available for multiphase flow Rotating machinery interfaces made available for all flow interfaces Updated free and porous media flow interface Kozeny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law Interface	Stationary free surface flow computation				√	
Easy definition of gravity and buoyancy effects Built-in Boussinesq approximation for nonisothermal flow Swirl flow for fan boundary condition Temperature changes from pressure work in porous media flow Multiphysics interface for reacting flow Graphics icons for pipe system components Pump inlet condition and pump curve data for pipe flow Flownet plots for subsurface flow 2-f turbulence model Automatic vault translation between turbulence models Algebraic multigrid (AMG) solver for CFD New formulation for high-Mach number flow New interior wall and thin barrier boundary conditions for porous media Reacting flow in porous media Transport of diluted species in porous media and fractures Plane symmetry condition for fluid-structure interaction (FSI) Inlet boundary conditions for fluid seructure interaction (FSI) Realizable k-t turbulence model Alt turbulence models made available for multiphase flow Rotating machinery interfaces made available for all flow interfaces Updated free and porous media flow interface Kozeny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law Interface	Algebraic turbulence for mixing				√	√
Built-in Boussinesq approximation for nonisothermal flow Swirl flow for fan boundary condition Temperature changes from pressure work in porous media flow Multiphysics interface for reacting flow Graphics icons for pipe system components Pump inlet condition and pump curve data for pipe flow Flownet plots for subsurface flow v2-f turbulence model Automatic wall treatment for turbulent flow Automatic translation between turbulence models Algebraic multigrid (AMG) solver for CFD New formulation for high-Mach number flow New winterior wall and thin barrier boundary conditions for porous media flow New well boundary condition for subsurface flow in porous media Reacting flow in porous media Transport of diluted species in porous media and fractures Plane symmetry condition for free molecular flow Generalized multiphysics interface for fluid-structure interaction (FSI) Inlet boundary conditions for fully developed turbulent flow Realizable k-ɛ turbulence model Buoyancy-induced turbulence All turbulence models made available for multiphase flow Rotating machinery interfaces made available for all flow interfaces Updated free and porous media flow interface Kozeny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law Interface	Compressible flow in 1D pipes				√	
Swirl flow for fan boundary condition Temperature changes from pressure work in porous media flow Multiphysics interface for reacting flow Graphics icons for pipe system components Pump inlet condition and pump curve data for pipe flow Flownet plots for subsurface flow v2-f turbulence model Automatic wall treatment for turbulent flow Automatic translation between turbulence models Algebraic multigrid (AMG) solver for CFD New formulation for high-Mach number flow New winterior wall and thin barrier boundary conditions for porous media flow New well boundary condition for subsurface flow in porous media Reacting flow in porous media Transport of diluted species in porous media and fractures Plane symmetry condition for free molecular flow Generalized multiphysics interface for fluid-structure interaction (FSI) Inlet boundary conditions for fully developed turbulent flow Realizable ke turbulence model Buoyancy-induced turbulence All turbulence models made available for multiphase flow Rotating machinery interfaces made available for all flow interfaces Updated free and porous media flow interface Kozeny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law Interface	Easy definition of gravity and buoyancy effects				√	√
Temperature changes from pressure work in porous media flow Multiphysics interface for reacting flow Graphics icons for pipe system components Pump inlet condition and pump curve data for pipe flow Flownet plots for subsurface flow v2-ft turbulence model Automatic wall treatment for turbulent flow Automatic wall treatment for turbulent flow Automatic wall treatment for turbulence models Algebraic multigrid (AMG) solver for CFD New formulation for high-Mach number flow New interior wall and thin barrier boundary conditions for porous media Reacting flow in porous media Reacting flow in porous media Reacting flow in porous media and fractures Plane symmetry condition for free molecular flow Generalized multiphysics interface for fluid-structure interaction (FSI) Inlet boundary conditions for fully developed turbulent flow Rotating machinery interfaces made available for multiphase flow Rotating machinery interfaces made available for all flow interfaces Rozeny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law Interface This partier feature in the two-phase Darcy's law Interface This partier feature in the two-phase Darcy's law Interface This partier feature in the two-phase Darcy's law Interface This partier feature in the two-phase Darcy's law Interface This partier feature in the two-phase Darcy's law Interface This partier feature in the two-phase Darcy's law Interface This partier feature in the two-phase Darcy's law Interface This partier feature in the two-phase Darcy's law Interface This partier feature in the two-phase Darcy's law Interface This partier feature in the two-phase Darcy's law Interface This partier feature in the two-phase Darcy's law Interface This partier feature in the two-phase Darcy's law Interface This partier feature in the two-phase Darcy's law Interface This partier feature in the two-phase Darcy's law Interface This partier feature in the two-phase Darcy's law Interface This partier feature in the two-phase Darcy's law Interface This parti	Built-in Boussinesq approximation for nonisothermal flow				√	\checkmark
Multiphysics interface for reacting flow Graphics icons for pipe system components Pump inlet condition and pump curve data for pipe flow Flownet plots for subsurface flow v2-f turbulence model Automatic wall treatment for turbulent flow Automatic wall treatment for turbulent models Algebraic multigrid (AMG) solver for CFD New formulation for high-Mach number flow New interior wall and thin barrier boundary conditions for porous media flow New well boundary condition for subsurface flow in porous media Reacting flow in porous media Transport of diluted species in porous media and fractures Plane symmetry condition for free molecular flow Generalized multiphysics interface for fluid-structure interaction (FSI) Inlet boundary conditions for fully developed turbulent flow Realizable k-ɛ turbulence model Buoyancy-induced turbulence All turbulence models made available for multiphase flow Rotating machinery interfaces made available for all flow interfaces Vdatating machinery interfaces made available for all flow interfaces Vdatating machinery interfaces made available for Darcy's law Thin barrier feature in the two-phase Darcy's law Interface	Swirl flow for fan boundary condition				√	√
Graphics icons for pipe system components Pump inlet condition and pump curve data for pipe flow Flownet plots for subsurface flow v2-f turbulence model Automatic wall treatment for turbulent flow Automatic translation between turbulence models Algebraic multigrid (AMG) solver for CFD New formulation for high-Mach number flow New interior wall and thin barrier boundary conditions for porous media flow New well boundary condition for subsurface flow in porous media Reacting flow in porous media Transport of diluted species in porous media and fractures Plane symmetry condition for free molecular flow Generalized multiphysics interface for fluid-structure interaction (FSI) Inlet boundary conditions for fully developed turbulent flow Realizable k-£ turbulence model Buoyancy-induced turbulence All turbulence models made available for multiphase flow Rotating machinery interfaces made available for all flow interface (Vozeny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law Interface	Temperature changes from pressure work in porous media flow				√	√
Pump inlet condition and pump curve data for pipe flow Flownet plots for subsurface flow v2-f turbulence model Automatic wall treatment for turbulent flow Automatic translation between turbulence models Algebraic multigrid (AMG) solver for CFD New formulation for high-Mach number flow New interior wall and thin barrier boundary conditions for porous media flow New well boundary condition for subsurface flow in porous media Reacting flow in porous media Transport of diluted species in porous media and fractures Plane symmetry condition for free molecular flow Generalized multiphysics interface for fluid-structure interaction (FSI) Inlet boundary conditions for fully developed turbulent flow Realizable k-ɛ turbulence model Buoyancy-induced turbulence All turbulence models made available for multiphase flow Rotating machinery interfaces made available for all flow interfaces Updated free and porous media flow interface Kozeny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law Interface	Multiphysics interface for reacting flow				√	\checkmark
Flownet plots for subsurface flow v2-f turbulence model Automatic wall treatment for turbulent flow Automatic translation between turbulence models Algebraic multigrid (AMG) solver for CFD New formulation for high-Mach number flow New interior wall and thin barrier boundary conditions for porous media flow New well boundary condition for subsurface flow in porous media Reacting flow in porous media Transport of diluted species in porous media and fractures Plane symmetry condition for free molecular flow Generalized multiphysics interface for fluid-structure interaction (FSI) Inlet boundary conditions for fully developed turbulent flow Realizable k-ɛ turbulence model Buoyancy-induced turbulence All turbulence models made available for multiphase flow Rotating machinery interfaces made available for all flow interfaces Updated free and porous media flow interface Kozeny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law Interface	Graphics icons for pipe system components				√	
v2-f turbulence model Automatic wall treatment for turbulent flow Automatic translation between turbulence models Algebraic multigrid (AMG) solver for CFD New formulation for high-Mach number flow New interior wall and thin barrier boundary conditions for porous media flow New well boundary condition for subsurface flow in porous media Reacting flow in porous media **Transport of diluted species in porous media and fractures Plane symmetry condition for free molecular flow Generalized multiphysics interface for fluid-structure interaction (FSI) Inlet boundary conditions for fully developed turbulent flow Realizable k-€ turbulence model Buoyancy-induced turbulence All turbulence models made available for multiphase flow Rotating machinery interfaces made available for all flow interfaces Updated free and porous media flow interface Kozeny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law Interface	Pump inlet condition and pump curve data for pipe flow				√	
Automatic wall treatment for turbulent flow Automatic translation between turbulence models Algebraic multigrid (AMG) solver for CFD New formulation for high-Mach number flow New interior wall and thin barrier boundary conditions for porous media flow New well boundary condition for subsurface flow in porous media Reacting flow in porous media Transport of diluted species in porous media and fractures Plane symmetry condition for free molecular flow Generalized multiphysics interface for fluid-structure interaction (FSI) Inlet boundary conditions for fully developed turbulent flow Realizable k-ɛ turbulence model Buoyancy-induced turbulence All turbulence models made available for multiphase flow Rotating machinery interfaces made available for all flow interfaces Updated free and porous media flow interface Kozeny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law Interface	Flownet plots for subsurface flow				√	\checkmark
Automatic translation between turbulence models Algebraic multigrid (AMG) solver for CFD New formulation for high-Mach number flow New interior wall and thin barrier boundary conditions for porous media flow New well boundary condition for subsurface flow in porous media Reacting flow in porous media Transport of diluted species in porous media and fractures Plane symmetry condition for free molecular flow Generalized multiphysics interface for fluid-structure interaction (FSI) Inlet boundary conditions for fully developed turbulent flow Realizable k-ɛ turbulence model Buoyancy-induced turbulence All turbulence models made available for multiphase flow Rotating machinery interfaces made available for all flow interfaces Updated free and porous media flow interface Kozeny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law Interface	v2-f turbulence model					\checkmark
Algebraic multigrid (AMG) solver for CFD New formulation for high-Mach number flow New interior wall and thin barrier boundary conditions for porous media flow New well boundary condition for subsurface flow in porous media Reacting flow in porous media Transport of diluted species in porous media and fractures Plane symmetry condition for free molecular flow Generalized multiphysics interface for fluid-structure interaction (FSI) Inlet boundary conditions for fully developed turbulent flow Realizable k-ɛ turbulence model Buoyancy-induced turbulence All turbulence models made available for multiphase flow Rotating machinery interfaces made available for all flow interfaces Updated free and porous media flow interface Kozeny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law Interface	Automatic wall treatment for turbulent flow					\checkmark
New formulation for high-Mach number flow New interior wall and thin barrier boundary conditions for porous media flow New well boundary condition for subsurface flow in porous media Reacting flow in porous media Transport of diluted species in porous media and fractures Plane symmetry condition for free molecular flow Generalized multiphysics interface for fluid-structure interaction (FSI) Inlet boundary conditions for fully developed turbulent flow Realizable k-€ turbulence model Buoyancy-induced turbulence All turbulence models made available for multiphase flow Rotating machinery interfaces made available for all flow interfaces Updated free and porous media flow interface Kozeny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law Interface	Automatic translation between turbulence models					\checkmark
New interior wall and thin barrier boundary conditions for porous media flow New well boundary condition for subsurface flow in porous media Reacting flow in porous media Transport of diluted species in porous media and fractures Plane symmetry condition for free molecular flow Generalized multiphysics interface for fluid-structure interaction (FSI) Inlet boundary conditions for fully developed turbulent flow Realizable k-€ turbulence model Buoyancy-induced turbulence All turbulence models made available for multiphase flow Rotating machinery interfaces made available for all flow interfaces Updated free and porous media flow interface Kozeny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law Interface	Algebraic multigrid (AMG) solver for CFD					\checkmark
New well boundary condition for subsurface flow in porous media Reacting flow in porous media Transport of diluted species in porous media and fractures Plane symmetry condition for free molecular flow Generalized multiphysics interface for fluid-structure interaction (FSI) Inlet boundary conditions for fully developed turbulent flow Realizable k-ɛ turbulence model Buoyancy-induced turbulence All turbulence models made available for multiphase flow Rotating machinery interfaces made available for all flow interfaces Updated free and porous media flow interface Kozeny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law Interface	New formulation for high-Mach number flow					√
Reacting flow in porous media Transport of diluted species in porous media and fractures Plane symmetry condition for free molecular flow Generalized multiphysics interface for fluid-structure interaction (FSI) Inlet boundary conditions for fully developed turbulent flow Realizable k-ε turbulence model Buoyancy-induced turbulence All turbulence models made available for multiphase flow Rotating machinery interfaces made available for all flow interfaces Updated free and porous media flow interface Kozeny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law Interface	New interior wall and thin barrier boundary conditions for porous media flow					\checkmark
Transport of diluted species in porous media and fractures Plane symmetry condition for free molecular flow Generalized multiphysics interface for fluid-structure interaction (FSI) Inlet boundary conditions for fully developed turbulent flow Realizable k-ε turbulence model Buoyancy-induced turbulence All turbulence models made available for multiphase flow Rotating machinery interfaces made available for all flow interfaces Updated free and porous media flow interface Kozeny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law Interface	New well boundary condition for subsurface flow in porous media					√
Plane symmetry condition for free molecular flow Generalized multiphysics interface for fluid-structure interaction (FSI) Inlet boundary conditions for fully developed turbulent flow Realizable k-€ turbulence model Buoyancy-induced turbulence All turbulence models made available for multiphase flow Rotating machinery interfaces made available for all flow interfaces Updated free and porous media flow interface Kozeny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law Interface	Reacting flow in porous media					√
Generalized multiphysics interface for fluid-structure interaction (FSI) Inlet boundary conditions for fully developed turbulent flow Realizable k-€ turbulence model Buoyancy-induced turbulence All turbulence models made available for multiphase flow Rotating machinery interfaces made available for all flow interfaces Updated free and porous media flow interface Kozeny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law Interface	Transport of diluted species in porous media and fractures					√
Inlet boundary conditions for fully developed turbulent flow Realizable k-ε turbulence model Buoyancy-induced turbulence All turbulence models made available for multiphase flow Rotating machinery interfaces made available for all flow interfaces Updated free and porous media flow interface Kozeny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law Interface	Plane symmetry condition for free molecular flow					\checkmark
Realizable k-€ turbulence model Buoyancy-induced turbulence All turbulence models made available for multiphase flow Rotating machinery interfaces made available for all flow interfaces Updated free and porous media flow interface Kozeny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law Interface	Generalized multiphysics interface for fluid-structure interaction (FSI)					√
Buoyancy-induced turbulence All turbulence models made available for multiphase flow Rotating machinery interfaces made available for all flow interfaces Updated free and porous media flow interface Kozeny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law Interface	Inlet boundary conditions for fully developed turbulent flow					\checkmark
All turbulence models made available for multiphase flow Rotating machinery interfaces made available for all flow interfaces Updated free and porous media flow interface Kozeny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law Interface	Realizable k-ε turbulence model					
Rotating machinery interfaces made available for all flow interfaces Updated free and porous media flow interface Kozeny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law Interface	Buoyancy-induced turbulence					√
Updated free and porous media flow interface Kozeny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law Interface	All turbulence models made available for multiphase flow					√
Kozeny-Carman permeability model for Darcy's law Thin barrier feature in the two-phase Darcy's law Interface	Rotating machinery interfaces made available for all flow interfaces					√
Thin barrier feature in the two-phase Darcy's law Interface	Updated free and porous media flow interface					√
	Kozeny-Carman permeability model for Darcy's law					1
Cubic law for fracture transmissivity in fracture flow	Thin barrier feature in the two-phase Darcy's law Interface					√
	Cubic law for fracture transmissivity in fracture flow					√

CHEMICAL	4.X	5.0	5.1	5.2	5.3
Surface reactions	$\overline{}$	√	√	√	\checkmark
Infinite elements for diffusion	✓	√	√	√	√
Parameter estimation with the Optimization Module	✓	√	√	√	√
Reacting flow	√	√	√	√	√
AC impedance spectroscopy	√	√	√	√	√
NEW Product: Electrodeposition Module	√	√	√	√	√
Infinite elements for electrochemical currents	√	√	√	√	√
Shell electrodes	√	√	√	√	√
Potentiostatic control	√	√	√	√	√
NEW Product: Corrosion Module	√	√	√	√	√
Film resistance	√	√	√	√	√
Thin impermeable barrier	√	√	√	√	√
Edge electrodes	√	√	√	√	√
Infinite electrolytes	$\overline{}$	√	√	√	√
NEW Product: Electrochemistry Module	√	√	√	√	√
Multicomponent flash calculations	√	√	√	√	√
Multiscale simulations for packed bed reactors		√	√	√	√
New Chemistry interface		√	√	√	√
Multiphysics interface for transport of diluted species in porous media		√	√	√	√
Mass-based concentrations		√	√	√	√
Partially saturated porous media		√	√	√	√
Equilibrium reactions		√	√	√	√
Current distribution on edges with the boundary element method (BEM)		√	√	√	√
Counter electrodes for electroanalysis		√	√	√	√
New gas mixture viscosity correlation for reaction engineering			√	√	√
Film resistance for reactive pellets			√	√	√
Multiphysics interface for hygroscopic swelling with species transport			√	√	√
Dusty gas model			√	√	√
Mass-based concentration variables			√	√	√
Nonspherical catalytic pellet shapes				√	√
Volumetric effects from edge elements				√	√
Thin insulating sheets for corrosion simulations				√	√
Multicomponent transport in porous media flow				√	√
Surface reactions for reactive pellet beds				√	√
Export surface reaction kinetics to space dependent model				√	√
Single particle battery interface for simplified modeling of batteries				√	√
Nernst-Planck-Poisson equations interface				√	√
Short-circuit boundary condition for batteries and corrosion				√	_

CHEMICAL	4.X	5.0	5.1	5.2	5.3
Multiphysics interface for electrochemical heat source				√	√
Thermodynamic equilibrium electrode kinetics				√	√
Nernst-Planck-Poisson equations interface					√
Electrophoretic transport interface					√
Ion-exchange membrane internal boundary condition for tertiary currents					√
Four charge conservation models for tertiary currents with Nernst-Planck equations					√
Thin electrode layers in electrode domains					√
Thin electrolyte layers between electrolyte domains					√
Charge-discharge cycling boundary condition					1
Circuit terminal for couplings to electrical circuits					√
Primary and secondary current distribution based on the boundary element method (BEM)					√
Shell current distribution analysis for thin electrolytes					√
A built-in thermodynamic properties library for pure fluids, mixtures, and two-phase fluids					√
Link between Reaction Engineering and Chemistry interfaces and thermodynamic property packages					√
Electrode reactions on thin electrode surfaces fully immersed in electrolyte					√
New Lithium-Ion Battery Designer app for optimizing batteries for specific applications					√
Baker-Verbrugge diffusion model, in the Lithium-Ion Battery and Battery with Binary Electrolyte interfaces					√
OPTIMIZATION	4.X	5.0	5.1	5.2	5.3
Time-dependent sensitivity and optimization	√	√	√	√	√
Parameter optimization	√	√	√	√	√
Design optimization	√	√	1	√	√
Gradient-based and derivative-free optimization study	√	1	1	√	√
New derivative-free optimization solver: BOBYQA	√	√	1	\checkmark	√
New gradient-based optimization solver: MMA	√	√	1	\checkmark	√
Multianalysis optimization		√	√	√	√
New parameter estimation study		1	√	√	√
Optimization solver stop and continue		√	√	√	√
New derivative-free method: COBYLA		1	1	√	√
New least square fitting method				√	√
	-				
MATERIAL LIBRARY PRODUCT	4.X	5.0	5.1	5.2	5.3
MATERIAL LIBRARY PRODUCT 2500 materials	4.X	5.0	5.1	5.2	5.3

PARTICLE TRACING	4.X	5.0	5.1	5.2	5.3
NEW Product: Particle Tracing	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Particle forces: electric, magnetic, collisional, drag, gravity, acoustophoretic, dielectrophoretic, user-defined	\checkmark	\checkmark	\checkmark	\checkmark	√
New forces: Brownian, Schiller-Naumann, magnetophoretic, thermophoretic	√	√	√	√	√
Secondary emission	√	√	√	√	√
Particle-particle interactions	√	√	√	√	√
Diffuse and general reflection	√	√	√	√	√
Velocity reinitialization	√	√	√	√	√
Monte Carlo elastic collisions	√	√	√	√	√
Changing auxiliary variables	√	√	√	√	√
Particle-field and fluid-particle Interactions	√	√	√	√	√
Release of particles in a cone	√	√	√	√	√
Max, min, average over particles	√	√	√	√	√
New accumulator tools enabling multiphysics couplings for erosion, etching, mass deposition, boundary load, mass flux, current density, heat source.		√	✓	√	✓
Particle 1D plots		\checkmark	√	√	√
Multiphysics interface for electric-particle field interaction			√	√	√
Multiphysics interface for magnetic-particle field interaction			√	√	✓
New multiphysics interface for fluid-particle interaction			√	√	√
Inelastic collisions			√	√	√
Particle beams with beam emittance and Twiss parameters			√	√	√
Space-charge limited emission			√	√	√
Charge-exchange collisions				√	√
Release from edges and points				√	√
Improved density-based release				√	√
Particle counters				√	√
Particle-matter interactions				√	√
High-order Runge-Kutta time-stepping method for first-order Newtonian formulation				√	√
Store extra time steps for wall interactions				√	√
Improved particle beam simulations with sampling from phase space ellipse				√	√
Turbulent dispersion models for particles				√	√
Liquid droplet breakup with the Kelvin-Helmholtz and Rayleigh-Taylor breakup models				√	√
Periodic boundary condition for particle tracing					√
Rotating frames for particle tracing					√
Release particles at random initial positions					√
Ribbons on particle trajectories					√
Coordinate system selection for inlets					√
Lambertian velocity distribution for particle release at boundaries					√
Nonuniform magnitudes in velocity distributions					√

PARTICLE TRACING	4.X	5.0	5.1	5.2	5.3
Lift force for particle tracing in fluids					√
Anisotropic turbulent dispersion for particles in fluids					√
Thermionic emission of electrons at hot metal cathodes					√
Drag correction factor for particles close to walls					√
Symmetry boundary condition for particle tracing					√
New component couplings on particles					√
Null collision method for charged particle tracing in rarified gas					√
Uniform, normal, or lognormal distribution of particle release times					√
Recycling of particle degrees of freedom for use in secondary emission					√
General time periodic electric and magnetic forces					√
Release particles based on the thermal distribution on a wall					√
Release particles from a cylindrical or hexapolar grid of points					√
INTERFACING	4.X	5.0	5.1	5.2	5.3
NEW Product: LiveLink™ for AutoCAD®	√	√	√	√	√
NEW Product: LiveLink™ for PTC® Creo® Parametric™	√	√	√	√	√
NEW Product: LiveLink™ for Excel®	√	√	√	√	√
NEW Product: ECAD Import Module	√	√	√	√	√
NEW Product: LiveLink™ for Solid Edge®	√	√	√	√	√
NEW Product: LiveLink™ for Revit®	√	√	√	√	√
NEW Product: Design Module	√	√	√	√	√
NEW CAD FILE FORMATS	4.X	5.0	5.1	5.2	5.3
PTC®Creo® Parametric™ 1.0 software	√	√	√	√	√
ACIS® (SAT®) R22 software	√	√	√	√	√
CATIA® V5 R21 software	√	√	√	√	√
Autodesk® Inventor® 2012 software	√	√	√	√	√
Parasolid® R23, R24 software	√	√	√	√	√
SOLIDWORKS® 2012 software	√	√	√	√	√
Catia® V5 R 22 software	√	√	√	√	√
Parasolid® V 25 software	√	√	√	√	√
SOLIDWORKS® 2013 software	√	√	√	√	√
Autodesk® Inventor® 2013 software	√	√	√	√	√
PTC®Creo® Parametric™ 2.0 software	√	√	√	√	√
NX™ (.prt) software		√	√	√	√
Autodesk® AutoCAD® (.dwg, .dxf) software		√	√	√	√
SOLIDWORKS® 2014 software		√	√	√	√
Autodesk® Inventor® 2015 software		\checkmark	\checkmark	√	√

NEW CAD FILE FORMATS	4.X	5.0	5.1	5.2	5.3
Parasolid® V 28.1 software				√	√
ACIS® (SAT®) R25, 2016 1.0 software				√	√
CATIA® V5 R8-R25, 2016				√	√
Inventor® parts and assemblies versions 11, 2008-2016				√	√
SOLIDWORKS® versions 98-2016				√	√
AutoCAD® versions 2.5-2016				√	√
AutoCAD® DXF™ versions 2.5-2016				√	√
Parasolid® V 29.1 software					√
ACIS® (SAT®) R25, 2017 1.0 software					√
Inventor® parts and assemblies version 11, 2017					√
SOLIDWORKS® 2017 software					√
NX™ (.prt) software version 11					√
Parasolid® V 30.0 software					√
ACIS® (SAT®) R25, 2018 1.0 software					√
AutoCAD® (.dwg, .dxf) up to 2017					√
CATIA® V5 up to 2017					√
PTC® Creo® Parametric™ up to 4.0					√
LIVELINK™ for solidworks®	4.X	5.0	5.1	5.2	5.3
LIVELINK™ for soLiDWORKS® One-window interface	4.X	5.0	5.1	5.2 ✓	5.3
	4.X ✓ ✓		5.1 √	5.2	5.3
One-window interface	4.X ✓ ✓		5.1	5.2	5.3
One-window interface Parameter linking	4.X ✓ ✓ ✓		5.1 √ √ √	5.2	5.3 √ √ √
One-window interface Parameter linking Sync material names	4.X ✓ ✓ ✓		5.1 ✓ ✓ ✓	5.2 ✓ ✓ ✓ ✓ ✓	5.3 √ √ √ √
One-window interface Parameter linking Sync material names Sync user-defined selections	4.X ✓ ✓ ✓		5.1 ✓ ✓ ✓	5.2 ✓ ✓ ✓ ✓	5.3 ✓ ✓ ✓ ✓ ✓ ✓
One-window interface Parameter linking Sync material names Sync user-defined selections Run apps using LiveLink™ for SOLIDWORKS®	4.X ✓ ✓ ✓		5.1 ✓ ✓ ✓	5.2 ✓ ✓ ✓ ✓ ✓	5.3 ✓ ✓ ✓ ✓ ✓ ✓
One-window interface Parameter linking Sync material names Sync user-defined selections Run apps using LiveLink™ for SOLIDWORKS® Connecting to COMSOL Server™ from within the SOLIDWORKS® interface	4.X ✓ ✓ ✓		5.1 ✓ ✓ ✓ ✓	5.2 ✓ ✓ ✓ ✓ ✓ ✓	5.3 ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
One-window interface Parameter linking Sync material names Sync user-defined selections Run apps using LiveLink™ for SOLIDWORKS® Connecting to COMSOL Server™ from within the SOLIDWORKS® interface Tracking of document information including file name and file path	4.X ✓ ✓ ✓		5.1 ✓ ✓ ✓	5.2 ✓ ✓ ✓ ✓ ✓ ✓	5.3 ✓ ✓ ✓ ✓ ✓ ✓
One-window interface Parameter linking Sync material names Sync user-defined selections Run apps using LiveLink™ for SOLIDWORKS® Connecting to COMSOL Server™ from within the SOLIDWORKS® interface Tracking of document information including file name and file path	4.X ✓ ✓ ✓ 4.X		5.1 ✓ ✓ ✓ ✓	5.2 ✓ ✓ ✓ ✓ ✓	5.3 ✓ ✓ ✓ ✓ ✓ ✓
One-window interface Parameter linking Sync material names Sync user-defined selections Run apps using LiveLink™ for SOLIDWORKS® Connecting to COMSOL Server™ from within the SOLIDWORKS® interface Tracking of document information including file name and file path More efficient setup of CAD assembly selections	✓ ✓ ✓	✓ ✓ ✓	✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓
One-window interface Parameter linking Sync material names Sync user-defined selections Run apps using LiveLink™ for SOLIDWORKS® Connecting to COMSOL Server™ from within the SOLIDWORKS® interface Tracking of document information including file name and file path More efficient setup of CAD assembly selections	✓ ✓ ✓	✓ ✓ ✓	✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓
One-window interface Parameter linking Sync material names Sync user-defined selections Run apps using LiveLink™ for SOLIDWORKS® Connecting to COMSOL Server™ from within the SOLIDWORKS® interface Tracking of document information including file name and file path More efficient setup of CAD assembly selections LIVELINK™ for INVENTOR® Parameter linking	✓ ✓ ✓	✓ ✓ ✓	✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓
One-window interface Parameter linking Sync material names Sync user-defined selections Run apps using LiveLink™ for SOLIDWORKS® Connecting to COMSOL Server™ from within the SOLIDWORKS® interface Tracking of document information including file name and file path More efficient setup of CAD assembly selections LIVELINK™ for INVENTOR® Parameter linking One-window interface	✓ ✓ ✓	✓ ✓ ✓	✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓
One-window interface Parameter linking Sync material names Sync user-defined selections Run apps using LiveLink™ for SOLIDWORKS® Connecting to COMSOL Server™ from within the SOLIDWORKS® interface Tracking of document information including file name and file path More efficient setup of CAD assembly selections LIVELINK™ for INVENTOR® Parameter linking One-window interface Sync material names and selections	✓ ✓ ✓	✓ ✓ ✓	✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓

LIVELINK™ for AUTOCAD®	4.X	5.0	5.1	5.2	5.3
Connecting to COMSOL Server $^{\text{\tiny{TM}}}$ from within the AutoCAD $^{\text{\tiny{8}}}$ interface				√	\checkmark
Synchronize selections for materials				\checkmark	\checkmark
Tracking of document information including file name and file path				\checkmark	\checkmark
Synchronize curves and points					√
LIVELINK TM for PTC® PRO/ENGINEER®	4.X	5.0	5.1	5.2	5.3
Synchronize selections for materials			\checkmark	\checkmark	\checkmark
Tracking of document information including file name and file path				\checkmark	\checkmark
LIVELINK™ for PTC® CREO® PARAMETRIC™	4.X	5.0	5.1	5.2	5.3
	4.7	5.0	5.1	5.2	5.3
Synchronize selections for materials			V	V	V
Connecting to COMSOL Server™ from within the PTC® Creo® Parametric™ interface				V	V
Tracking of document information including file name and file path				V	V
Parameter selection in CAD assembly components					V
LIVELINK™ for solid edge®	4.X	5.0	5.1	5.2	5.3
Synchronize selections for materials			√	1	√
Connecting to COMSOL Server™ from within the Solid Edge® interface				√	√
Tracking of document information including file name and file path				√	\checkmark
	4.X	5.0	5.1	5.2	E 2
LIVELINK™ for REVIT® Connecting to COMSOL Server™ from within the Autodesk® Revit® interface	4.7	5.0	5.1	5.2	5.3
Tracking of document information including file name and file path				V /	
Expanded support for synchronizing architectural elements				V	
Expanded support for synchronizing architectural elements					
ECAD IMPORT MODULE	4.X	5.0	5.1	5.2	5.3
ODB++ import	√	√	√	√	√
Layer renaming			√	√	√
Selections for layers				√	√
Split layers in imported GDS files based on data type					√
Support for the IPC-2581 PCB layout format					√
LIVELINK™ for MATLAB®	4.X	5.0	5.1	5.2	5.3
Improved performance and memory handling	1	1	1	1	
Model navigator	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \				
New functions*	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \				
Updates to: mphnavigator, mpheval, mphint, mphinterp, mphplot, mphsolutioninfo,	V				
mphtable			V		V

LIVELINK™ for MATLAB®	4.X	5.0	5.1	5.2	5.3
New client/server functionality		\checkmark	\checkmark	\checkmark	\checkmark
Updates to: mphplot		√	√	√	√
New functions: mphevaluate, mphinterpolationfile, mphwritestl, mphreadstl, mphsurf			√	√	√
Updates to: mphxmeshinfo, mphmean, mphmax, mphmin, mphint2			√	√	√
New mphnavigator, mphopen, and mphload tools				√	√
Updates to: mphplot and mphgeom				√	√
Updates to: mphplot, mphgetexpressions				√	√
Directivity plots (Acoustics Module) and optical aberration plots (Ray Optics) with mphplot					√
Updates to: mphevaluate, mphglobalmatrix, mphstate, mphmatrix, mphnavigator, mphshowerrors					√
New mphray function for ray optics and ray acoustics data sets					1
Improved access to ray and particle data from parametric sweep studies in mphray and mphparticle					√
Support for views in the mphplot, mphgeom, and mphmesh functions					\checkmark
New mphthumbnail function for setting thumbnail images of models					√
New mphdoc function for accessing the COMSOL documentation					\checkmark
Connect to a COMSOL Multiphysics® server from MATLAB® and COMSOL Multiphysics® at the same time					√
Access to functions from the Apps tab of the MATLAB® ribbon					\checkmark
New function mphreduction for extracting reduced-order state-space matrices					√
Updates to: mphplot, mphmesh, mphthumbnail					√
Use MATLAB® function calls wherever you can use global parameters					√

 $^{^*} mphimage 2 geom, mpheval point, mphmean, mphmin, mphmax, mpheval global matrix, mphsearch, mphin put matrix, mphsolution, mphtable, and mphparticle.\\$

LIVELINK™ for excel®	4.X	5.0	5.1	5.2	5.3
Multiple files	√	√	√	√	√
Interpolation functions	\checkmark	√	√	√	√
Material export	\checkmark	√	√	√	√
Connect to remote server	\checkmark	√	√	√	√
Export of field-dependent material properties	√	√	√	√	√
Parametric sweeps in worksheet	√	√	√	√	√
Create macros with Visual Basic® for Applications (VBA) development system		√	√	√	√
Localized language support		√	√	√	√
LiveLink™ for Excel® for class kit licenses		√	√	√	√
Save model files for VBA			√	√	√
Save and load spreadsheet files			√	√	√
Automatically synchronized values for parameters and variables				√	√
Manage models and connections in the Excel® file tab					√
Context-sensitive help					√
Buttons for Results Parameters and for Clear and Evaluate All					√
Export 1D plots more easily					√